

MATERIAL SAFETY DATA SHEET

	Page 1 of 8
MSDS #:	IC1454-0202
Product Code:	0621B

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product Name:	Canon Ink Tank CLI-8C
Product Code:	0621B
Company Name:	Canon Europa N.V.
Address:	Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands
Use of the Product:	Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

conn con			OI (II (OILEDIE			
CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Confidential	5 - 10	Xi / R41 R52/53	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC # 56-81-5 / 200-289-5 107-21-1 / 203-473-3 Confidential Confidential Confidential	CAS # / EC # Weight % 56-81-5 / 200-289-5 5 - 10 107-21-1 / 203-473-3 5 - 10 Confidential 5 - 10	CAS # / EC # Weight % EU Symbol/ R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 107-21-1 / 203-473-3 5 - 10 Xn / R22 Confidential 5 - 10 Xi / R41 R52/53 Confidential 5 - 10 None / None Confidential 5 - 10 None / None 7732-18-5 / 60 - 80 None / None	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PEL56-81-5 / 200-289-55 - 10None / None(as mist) Total dust TWA = 15 mg/m3 Respirable fraction TWA = 5 mg/m3107-21-1 / 203-473-35 - 10Xn / R22Not establishedConfidential5 - 10Xi / R41 R52/53Not establishedConfidential5 - 10None / NoneNot establishedConfidential5 - 10None / NoneNot establishedConfidential5 - 10None / NoneNot established7732-18-5 /60 - 80None / NoneNot established	EC #%R-PhraseOSHA PEL $56-81-5 / 200-289-5$ $5 - 10$ None / None(as mist) Total dust TWA = 15 mg/m3(as mist) TWA = 10 mg/m3 $107-21-1 / 203-473-3$ $5 - 10$ Xn / R22Not established(aerosol) Ceiling = 100 mg/m3 $203-473-3$ $5 - 10$ Xi / R41 R52/53Not establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot established7732-18-5 / $60 - 80$ None / NoneNot establishedNot established	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PELACGIH TLVEU ILV $56-81-5 / 200-289-5$ $5 - 10$ None / None(as mist) Total dust TWA = 15 mg/m3(as mist) TWA = 10 mg/m3Not established $107-21-1 / 203-473-3$ $5 - 10$ Xn / R22Not established(aerosol) Ceiling = 100 mg/m3TWA = 20 ppm, $52 mg/m3$ STEL = 40 ppm, $104 mg/m3$ Confidential $5 - 10$ Xi / R41 R52/53Not establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot establishedNot established



< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause slight irritation. (See SECTION 11)

Skin:

May cause no irritation and mild sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

 CO_2 , water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

 CO, CO_2 , NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required



MATERIAL SAFETY DATA SHEET

IC1454-0202 MSDS #: Product Code: 0621B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Cyan liquid
Odor:	Slight odor
pH:	7 - 9
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature(°C):	Not available
Flash Point(°C):	None (Tag. Closed Cup.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature(°C):	Not available
Flammability:	Neither flammable nor combustible.
Explosive Properties:	Estimate: None
Oxidizing Properties:	Estimate: None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.0 - 1.1
Water Solubility :	Miscible
Fat Solubility :	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1-3
SECTION 10 STABILITY AND REA	ACTIVITY
Stability:	⊠ Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NOx, SOx and Ammonia
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None

Page 4 of 8



SECTION 11	TOXICOLOGICAL INFORMATION
Acute Toxicity:	
Inhalation:	
Not availa	ible
Ingestion:	
$LD_{50} > 20$	00 mg/kg (rat)
OECD Gu	idelines No.423 (2001), 96/54/EC Method B1 tris
Eye:	
Slightly in	ritating (rabbit)
OECD	Guidelines No.405 (2002), 92/69/EEC Method B5
Skin:	
Not irrita	nt (rabbit)
OECD	Guidelines No.404 (2002), 92/69/EEC Method B4
Sensitization:	
Mild sens	itizer (guinea pig)
OECD	Guidelines No.406 (1992), 96/54/EC Method B6
Mutagenicity:	
••••	:: Negative (S. typhimurium & E. Coli)
Reproductive To	xicity:
Not availa	ble
Carcinogenicity	
Not availa	ible
Others:	
Not availa	ble



MATERIAL SAFETY DATA SHEET

Page 6 of 8 MSDS # IC1454-0202 621B

MSDS #:	IC1454-
Product Code:	0

		0021D
SECTION 12 F	COLOGICAL INFORMATION	
Mobility:	Not available	
Persistence / Degradability:	Not available	
Bioaccumulation:	Not available	
Ecotoxicity:	Not available	
Other Adverse Effec	ts: Not available	
Method of Disposal:	DISPOSAL CONSIDERATIONS	
SECTION 14 T	RANSPORT INFORMATION	
UN #:	None	
UN Shipping Name:	None	
UN Classification:	None	
UN Packing Group:	None	
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No	
Special Precautions:	None	
< EU Information >	REGULATORY INFORMATION	
Information on the L		
Symbol & Indica	tion: Not required	
R-Phrase: Not required		
S-Phrase: Not required		
Dangerous Comp Not required	ponent(s):	
Special Precaution Not required	ons under 1999/45/EC Annex V:	
Specific Provisions in	Relation to Protection of Man or the Environment:	
76/769/EEC:	Not regulated	
(EC)2037/2000:	Not regulated	
(EC)304/2003:	Not regulated	
Others:	None	



< USA Information > Information on the Label under FF	ISA:	
Signal Word: Not required		
Hazard warning: Not required		
Safety Advice: Not required		
Hazardous Component(s): Not required		
SARA Title III §313: Chemical Name		Weight %
"Ethylene glycol" (107-21-1) "Copper Compounds" (as Cu)		5 - 10 5 - 10 (< 0.35)
California Proposition 65: Chemical Name None		Weight %
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature:	Not classified as hazardous according to c	riteria of NOHSC.
SECTION 16 OTHER INFORM	IATION	
<r list="" phrase=""> R22: Harmful if swallowed. R41: Risk of serious damage to ey R52/53: Harmful to aquatic organ</r>	res. isms, may cause long-term adverse effects in	n the aquatic environment.

Section 2, 9, 11 and 15



Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.