Page 1 of 8

0890B

Canon

## MATERIAL SAFETY DATA SHEET

IC1650-0202

MSDS #:

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PFI-101G

**Product Code:** 0890B

**Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

	COMPOSITION/INFORMATION ON INGREDIENTS						
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m
Poly(oxy-1,2-ethanediyl), .alpha.,alpha[1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne- 1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



#### MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

IC1650-0202

0890B

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing green liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### **Note to Physicians:**

None



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202
Product Code: 0890B

SECTION 5	TIRE FIGHTING MEASURES					
Fire Fighting Measu	res:					
Extinguishing M						
$CO_2$ , water, fo	am or dry chemicals					
Unsuitable Extin	nguishing Media:					
Special Fire Figl None	nting Procedures:					
Unusual Fire an None	d Explosion Hazards:					
Fire and Explosive I	Properties (See also Section 9):					
	Hazardous Combustion Products:					
$CO, CO_2, NO_2$						
Other Properties  None	<b>3:</b> 					
SECTION 6	ACCIDENTAL RELEASE MEASURES					
<b>Personal Precaution</b>	s:					
	h skin, eyes and clothing.					
Avoid breathing v						
Environmental Prec						
	sewer, surface water or ground water.					
Method for Cleanin						
Wipe off with wer	cloth or paper.					
SECTION 7 H	IANDLING AND STORAGE					
Handling:						
Avoid breathing v	apor and mist.					
Use with adequate						
Avoid contact wit	h skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.					
Storage:						
Keep in a cool and	* *					
Protect from sunli	gnt.					
Specific Uses: Ink for Ink Jet Pri	ntor					
	tion, please refer to the instruction of this product.					
SECTION 8	XPOSURE CONTROLS / PERSONAL PROTECTION					
Not established for	s: or this ink. (See also SECTION 2)					
<b>Engineering Contro</b>	ls:					
Use adequate ven	tilation.					
<b>Personal Protection</b>	Equipment(s):					
Respiratory Pro	tection: ☐ Required  Not Required					
Eye/Face Protec	tion: ☐ Required  Not Required					
Skin Protection:						
SKIII I IUUCUUII.	☐ Required  Not Required					

Page 4 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202
Product Code: 0890B

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES			
Appearance:	Green liquid			
Odor:	Slight odor			
pH:	8 - 9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
<b>Decomposition Temperature(°C):</b>	Not available			
Flash Point(°C):	Estimate: None			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Neither flammable nor combustible.			
<b>Explosive Properties:</b>	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)	Not available			
Percent Volatile (%):	60 - 80			
<b>Evaporation Rate:</b>	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND F	REACTIVITY			
Stability:	■ Stable     □ Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx			
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202 Product Code: 0890B

## SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

[Data of similar composition ink]

Minimal irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

**Sensitization:** 

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

# Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202
Product Code: 0890B

SECTION 12 E	COLOGICAL INFORMATION				
<b>Mobility:</b>	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
<b>Ecotoxicity:</b>	Not available				
Other Adverse Effec	Not available Not available				
	DISPOSAL CONSIDERATIONS				
Method of Disposal: Disposal should be	e subject to federal, state and local laws.				
SECTION 14 T	TRANSPORT INFORMATION				
UN #:	None				
<b>UN Shipping Name:</b>	None				
UN Classification:	None				
<b>UN Packing Group:</b>	None				
Marine Pollutant:	☐ Yes Chemical name (wt%):  No				
<b>Special Precautions:</b>	None				
SECTION 15 R < EU Information >	REGULATORY INFORMATION				
Information on the Label:					
Symbol & Indication: Not required					
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Comp	ponent(s):				
-	ons under 1999/45/EC Annex V: eet available for professional user on request.				
<del></del>	1 Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:					
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202
Product Code: 0890B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

#### SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

Section 15

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1650-0202
Product Code: 0890B

Page 8 of 8

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.