Page 1 of 8

0893B

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PFI-101PGY

**Product Code:** 0893B

**Company Name:** Canon Europa.N.V.

Address: Bovenkerkerweg 59-61 1185XB, Amstelveen, The Netherlands.

Use of the Product: Ink for Ink Jet Printer

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 2	COMITOSI	11011/1	MORMATIC	JI ON INGKE	DIENTS		
< Ingredient(s) > Chemical Name / Generic Name	CAS #/ EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	10 - 15	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>
Carbon black	1333-86-4 / 215-609-9	< 1	None / None	$TWA = 3.5 \text{ mg/m}^3$	$TWA = 3.5 \text{ g/m}^3$	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202
Product Code: 0893B

< Carcinogen >

Chemical Name CAS# Reference

Carbon Black 1333-86-4 IARC : Group 2B. NTP; OSHA; Annex I to 67/548/EEC : Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

## SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

## **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

## **Potential Health Effects and Symptoms:**

### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

### Eye:

May cause mild irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

No adverse effects are expected under intended use of this product.

### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

# SECTION 4 FIRST AID MEASURES

### First Aid Measures:

### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

## Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

## Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

## Note to Physicians:

None

Page 3 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202
Product Code: 0893B

SECTION 5 FIRE FIG	GHTING MEASURES						
Fire Fighting Measures:							
Extinguishing Media:							
CO <sub>2</sub> , water, foam or dry chemicals							
Unsuitable Extinguishin None	g Media:						
Special Fire Fighting Pro None	ocedures:						
Unusual Fire and Explos None	ion Hazards:						
Fire and Explosive Propertie	es (See also Section 9):						
Hazardous Combustion CO, CO <sub>2</sub> , NOx and SC	Products:						
Other Properties: None							
SECTION 6 ACCIDE	NTAL RELEASE MEASURES						
<b>Personal Precautions:</b>							
Avoid contact with skin, ey	yes and clothing.						
Avoid breathing vapor and	mist.						
<b>Environmental Precautions:</b> Do not release to sewer, su	urface water or ground water.						
Method for Cleaning Up:							
Wipe off with wet cloth or	paper.						
	^ ^						
SECTION 7 HANDLI	ING AND STORAGE						
Handling:							
Avoid breathing vapor and							
	Use with adequate ventilation.  Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.						
Storage:	,						
Keep in a cool and dry place. Protect from sunlight.	ce.						
Specific Uses:							
Ink for Ink Jet Printer.							
For more information, plea	se refer to the instruction of this product.						
SECTION 8 EXPOSU	TRE CONTROLS / PERSONAL PROTECTION						
<b>Exposure Guidelines:</b> Not established for this inl	k. (See also SECTION 2)						
Engineering Controls: Use adequate ventilation.							
Personal Protection Equipm	eent(s):						
<b>Respiratory Protection:</b>							
Eye/Face Protection:	☐ Required  ☑ Not Required						
Skin Protection:	☐ Required  ☑ Not Required						

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202
Product Code: 0893B

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES		
Appearance:	Black liquid		
Odor:	Slight odor		
pH:	8 - 9		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
<b>Decomposition Temperature(°C):</b>	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure:	Not available		
Vapor Density:	Not available		
<b>Density / Specific Gravity:</b>	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water)	: Not available		
Percent Volatile (%):	60 - 80		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND R	FACTIVITY		
Stability:	Stable  Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		

Page 5 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202 Product Code: 0893B

# SECTION 11 TOXICOLOGICAL INFORMATION

### **Acute Toxicity:**

### Inhalation:

Not available

# **Ingestion:**

Not available

### Eye:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

# Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

### Sensitization:

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

### Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

## **Reproductive Toxicity:**

Not available

## Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

# Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202
Product Code: 0893B

SECTION 12 H	ECOLOGICAL INFORMATION			
Mobility:	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
<b>Ecotoxicity:</b>	Not available			
Other Adverse Effe	cts: Not available			
Method of Disposal:	DISPOSAL CONSIDERATIONS : the subject to federal, state and local laws.			
SECTION 14	TRANSPORT INFORMATION			
UN #:	None			
<b>UN Shipping Name:</b>	None			
UN Classification:	None			
UN Packing Group:	None			
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No			
<b>Special Precautions:</b>	: None			
SECTION 15 F < EU Information >	REGULATORY INFORMATION			
Information on the l	Label:			
	ation: Not required			
R-Phrase: Not required				
S-Phrase: Not required				
Not required	ponent(s):			
-	ions under 1999/45/EC Annex V: eet available for professional user on request.			
Specific Provisions in	n Relation to Protection of Man or the Environment:			
76/769/EEC:	Not regulated			
(EC)2037/2000:	Not regulated			
(EC)304/2003:	Not regulated			
Others:	None			

Page 7 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202 Product Code: 0893B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

<Revised information from the previous version>

Section 15



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1653-0202
Product Code: 0893B

### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.