1035B



MATERIAL SAFETY DATA SHEET

IC1620-0101

MSDS #:

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank PGI-9C

Product Code: 1035B

Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185XB, Amstelveen, The Netherland

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION/INFORMATION ON INGREDIENTS						
CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) $TWA = 10 \text{ mg/m}^3$	Not established	Not established
9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC # 56-81-5 / 200-289-5 9014-85-1 / Not applicable Confidential Confidential	CAS # / EC # Weight % 56-81-5 / 200-289-5 5 - 10 9014-85-1 / Not applicable 1 - 5 Confidential 5 - 10 Confidential 5 - 10	CAS #/ EC # Weight % EU Symbol/ R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 9014-85-1 / Not applicable 1 - 5 Xi / R41 Confidential 5 - 10 None / None Confidential 5 - 10 None / None 7732-18-5 / 60 - 80 None / None	CAS #/ EC # Weight % EU Symbol/ R-Phrase USA OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ 9014-85-1 / Not applicable 1 - 5 Xi / R41 Not established Confidential 5 - 10 None / None Not established Confidential 5 - 10 None / None Not established	CAS #/ EC # Weight % EU Symbol/ R-Phrase USA OSHA PEL ACGIH TLV 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ 9014-85-1 / Not applicable 1 - 5 Xi / R41 Not established Not established Confidential 5 - 10 None / None Not established Not established Confidential 5 - 10 None / None Not established Not established	CAS # / EC # Weight % EU Symbol / R-Phrase USA OSHA PEL ACGIH TLV EU ILV 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ Not established 9014-85-1 / Not applicable 1 - 5 Xi / R41 Not established Not established Not established Confidential 5 - 10 None / None Not established Not established Not established Confidential 5 - 10 None / None Not established Not established Not established

Date of Issue: February 16, 2006



MSDS #: IC1620-0101
Product Code: 1035B

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Date of Issue: February 16, 2006



MSDS #: IC1620-0101
Product Code: 1035B

SECTION 5 FI	RE FIGHTING MEASURES				
Fire Fighting Measur	es:				
Extinguishing Me					
	n or dry chemicals				
Unsuitable Exting None	uishing Media:				
Special Fire Fight None	ing Procedures:				
Unusual Fire and None	Explosion Hazards:				
Fire and Explosive Pr	operties (See also Section 9):				
Hazardous Comb					
CO, CO ₂ , NOx					
Other Properties: None					
SECTION 6 AC	CCIDENTAL RELEASE MEASURES				
Personal Precautions:	skin, eyes and clothing.				
Environmental Preca					
	ewer, surface water or ground water.				
Method for Cleaning					
Wipe off with wet of					
	<u>^</u> ^				
SECTION 7 HA	ANDLING AND STORAGE				
Handling:					
Use with adequate	ventilation. skin, eyes and clothing.				
	vash out the contaminated area immediately.				
Storage:					
Keep in a cool and	dry place.				
	Protect from sunlight.				
Keep out of the reach of children.					
Specific Uses:					
Ink for Ink Jet Print					
For more information	on, please refer to the instruction of this product.				
SECTION 8 EX	KPOSURE CONTROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not established for	this ink. (See also SECTION 2)				
Engineering Controls Use adequate venti					
Personal Protection E	Equipment(s):				
Respiratory Prote	ection: ☐ Required ☑ Not Required				
Eye/Face Protecti	on: Required				
	Not Required —				
Skin Protection:	☐ Required ☑ Not Required				

Date of Issue: February 16, 2006

Page 4 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1620-0101
Product Code: 1035B

SECTION 9 PHYSICAL AND CI	HEMICAL PROPERTIES	
Appearance:	Cyan liquid	
Odor:	Slight odor	
pH:	8 - 9	
Boiling Point/Range(°C):	Not available	
Melting Point/Range(°C):	Not available	
Decomposition Temperature(°C):	Not available	
Flash Point(°C):	Estimate: None	
Flammable (Explosive) Limits:	Not available	
Autoignition Temperature(°C):	Not available	
Flammability:	Neither flammable nor combustible.	
Explosive Properties:	Estimate: None	
Oxidizing Properties:	Estimate: None	
Vapor Pressure :	Not available	
Vapor Density :	Not available	
Density / Specific Gravity:	1.0 - 1.1	
Water Solubility :	Miscible	
Fat Solubility:	Not available	
Partition Coefficient (n-Octanol/Water):	Not available	
Percent Volatile (%):	60 - 80	
Evaporation Rate:	Not available	
Viscosity (mPa s):	1 - 5	
SECTION 10 STABILITY AND R	EACTIVITY	
Stability:		
Conditions to Avoid:	None	
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents	
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx	
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur	
Conditions to Avoid:	None	



MSDS #: IC1620-0101
Product Code: 1035B

SECTION 11 TOXICOLOGICAL INFORMATION **Acute Toxicity:** Inhalation: Not available Ingestion: Not available Eye: Minimal irritant (rabbit) OECD Guidelines No.405 (2002), 2004/73/EC Method B5 Skin: Non-irritant (rabbit) OECD Guidelines No.404 (2002), 2004/73/EC Method B4 **Sensitization:** Non-sensitizer (mouse) OECD Guidelines No.429 (2002), 2004/73/EC Method B42 Mutagenicity: Ames test: Negative (S. typhimurium & E. Coli) **Reproductive Toxicity:** Not available Carcinogenicity: Not available Others: Not available

Date of Issue: February 16, 2006 Revised:

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1620-0101
Product Code: 1035B

SECTION 12	ECOLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effe	ects: Not available
SECTION 13	DISPOSAL CONSIDERATIONS
Method of Disposa	
Disposal should	be subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name	None None
UN Classification:	None
UN Packing Group	: None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
Special Precautions	None None
SECTION 15 < EU Information >	REGULATORY INFORMATION
Information on the	Label:
Symbol & Indi	cation: Not required
R-Phrase:	
Not required	
S-Phrase:	
Not required	
Not required	
	tions under 1999/45/EC Annex V:
Not required	
Specific Provisions	in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000	: Not regulated
(EC)304/2003:	Not regulated
Others:	None

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1620-0101
Product Code: 1035B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required **Hazard warning:**

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R41: Risk of serious damage to eyes.



MSDS #: IC1620-0101
Product Code: 1035B

Page 8 of 8

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: February 16, 2006 Revised: