Page 1 of 8



## MATERIAL SAFETY DATA SHEET

IC1662-0101 1485B

MSDS #:

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PFI-301MBK

**Product Code:** 1485B

**Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherland

Use of the Product: Ink for Ink Jet Printer

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

ECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS							
Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established	
Diethylene glycol	111-46-6 / 203-872-2	5 - 10	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>	
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established	
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established	

Date of Issue: April 28, 2006

Revised:



MSDS #: IC1662-0101
Product Code: 1485B

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause mild irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None



MSDS #: IC1662-0101
Product Code: 1485B

SECTION 5 FIRE FIGHTING M	EASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO <sub>2</sub> , water, foam or dry chemicals						
Unsuitable Extinguishing Media: None						
<b>Special Fire Fighting Procedures:</b> None						
Unusual Fire and Explosion Hazard None	3 <b>:</b>					
Fire and Explosive Properties (See also S	Section 9):					
Hazardous Combustion Products:						
CO, CO <sub>2</sub> , NOx and SOx						
Other Properties: None						
SECTION 6 ACCIDENTAL REL	EASE MEASURES					
Personal Precautions:						
Avoid contact with skin, eyes and cloth	ng.					
Avoid breathing vapor and mist.						
Environmental Precautions:						
Do not release to sewer, surface water	or ground water.					
Method for Cleaning Up: Wipe off with wet cloth or paper.						
wine off with wet cloth or paper.						
···						
SECTION 7 HANDLING AND S	TORAGE					
	ΓORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist.	TORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.						
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.	TORAGE  ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:						
SECTION 7 HANDLING AND ST  Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and cloth:  Storage: Keep in a cool and dry place.						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the  SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothe  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to th  SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the  SECTION 8 EXPOSURE CONTINUATION SET SECTION 8 EXPOSURE CONTINUATION SET SECTION SECTION SET SECTION SET SECTION SET SECTION	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:    Avoid breathing vapor and mist.    Use with adequate ventilation.    Avoid contact with skin, eyes and cloth:  Storage:    Keep in a cool and dry place.    Protect from sunlight.  Specific Uses:    Ink for Ink Jet Printer.    For more information, please refer to the  SECTION 8 EXPOSURE CONTILE  Exposure Guidelines:    Not established for this ink. (See also See Engineering Controls:	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the  SECTION 8 EXPOSURE CONTI  Exposure Guidelines:  Not established for this ink. (See also Stengineering Controls:  Use adequate ventilation.  Personal Protection Equipment(s):  Respiratory Protection:  Required  Not Required  Eye/Face Protection:  Required	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the  SECTION 8 EXPOSURE CONTI  Exposure Guidelines:  Not established for this ink. (See also Stengineering Controls:  Use adequate ventilation.  Personal Protection Equipment(s):  Respiratory Protection:   Required  Not Required	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					

Page 4 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1662-0101</u> Product Code: 1485B

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES		
Appearance:	Black liquid		
Odor:	Slight odor		
pH:	8 - 9		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water)	Not available		
Percent Volatile (%):	60 - 80		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND F	REACTIVITY		
Stability:	■ Stable     □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx, SOx and Ammonia		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		

Revised:



MSDS #: IC1662-0101
Product Code: 1485B

SECTION 11 TOXICOLOGICAL INFORMATION			
Acute Toxicity:			
Inhalation:			
Not available			
Ingestion:			
Not available			
Eye:			
Mild irritant (rabbit)			
OECD Guidelines No.405 (2002), 2004/73/EC Method B5			
Skin:			
Non-irritant (rabbit)			
OECD Guidelines No.404 (2002), 2004/73/EC Method B4			
Sensitization:			
Non-sensitizer (mouse)			
OECD Guidelines No.429 (2002), 2004/73/EC Method B42			
Mutagenicity:			
Ames test: Negative (S. typhimurium & E. Coli)			
Reproductive Toxicity:			
Not available			
Carcinogenicity:			
Not available			
Others:			
Not available			

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1662-0101
Product Code: 1485B

SECTION 12	COLOGICAL INFORMATION					
<b>Mobility:</b>	Not available					
Persistence / Degradability:	Not available					
Bioaccumulation:	Not available					
<b>Ecotoxicity:</b>	Not available					
Other Adverse Effe	ects: Not available					
	DISPOSAL CONSIDERATIONS					
Method of Disposa						
Disposai snouid	be subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION					
UN #:	None					
<b>UN Shipping Name</b>	None None					
<b>UN Classification:</b>	None					
<b>UN Packing Group</b>	None					
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☑ No					
<b>Special Precautions</b>	s: None					
SECTION 15 < EU Information >	REGULATORY INFORMATION					
Information on the	Label:					
Symbol & Indi	cation: Not required					
R-Phrase:	<u> </u>					
Not required						
S-Phrase: Not required						
Dangerous Cor Not required						
-	tions under 1999/45/EC Annex V: heet available for professional user on request.					
	in Relation to Protection of Man or the Environment:					
76/769/EEC:	Not regulated					
(EC)2037/2000						
(EC)304/2003:	-					
Others:	None					

Page 7 of 8

Canon

### MATERIAL SAFETY DATA SHEET

MSDS #: IC1662-0101
Product Code: 1485B

<us><USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

Page 8 of 8

MSDS #: IC1662-0101

1485B

Product Code:

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.