

IC1664-0101 MSDS #: 1487B

Product Code:

**SECTION 1** IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

Canon Ink Tank PFI-301C **Product Name:** 

1487B **Product Code:** 

**Company Name:** Canon Europa N.V.

Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands Address:

Use of the Product: Ink for Ink Jet Printer

#### COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 2**

COMITOSI	11011/1	W OKWINIII	on on make	DIENTS		
CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) $TWA = 10 \text{ mg/m}^3$	Not established	Not established
9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC #  56-81-5 / 200-289-5  9014-85-1 / Not applicable  Confidential  Confidential	CAS # / EC #         Weight %           56-81-5 / 200-289-5         5 - 10           9014-85-1 / Not applicable         1 - 5           Confidential         5 - 10           Confidential         5 - 10	CAS #/ EC #         Weight %         EU Symbol/ R-Phrase           56-81-5 / 200-289-5         5 - 10         None / None           9014-85-1 / Not applicable         1 - 5         Xi / R41           Confidential         5 - 10         None / None           Confidential         5 - 10         None / None           7732-18-5 /         60 - 80         None / None	CAS #/ EC #         Weight %         EU Symbol/ R-Phrase         USA OSHA PEL           56-81-5 / 200-289-5         5 - 10         None / None         (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³           9014-85-1 / Not applicable         1 - 5         Xi / R41         Not established           Confidential         5 - 10         None / None         Not established           Confidential         5 - 10         None / None         Not established	EC #     %     R-Phrase     OSHA PEL       56-81-5 / 200-289-5     5 - 10     None / None     (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³     TWA = 10 mg/m³       9014-85-1 / Not applicable     1 - 5     Xi / R41     Not established     Not established       Confidential     5 - 10     None / None     Not established     Not established       Confidential     5 - 10     None / None     Not established     Not established       7732-18-5 / 60 - 80     None / None     Not established     Not established	CAS # / EC #       Weight %       EU Symbol / R-Phrase       USA OSHA PEL       ACGIH TLV       EU ILV         56-81-5 / 200-289-5       5 - 10       None / None       (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³       TWA = 10 mg/m³       Not established         9014-85-1 / Not applicable       1 - 5       Xi / R41       Not established       Not established       Not established         Confidential       5 - 10       None / None       Not established       Not established       Not established         Confidential       5 - 10       None / None       Not established       Not established       Not established

Date of Issue: April 28, 2006 Revised:



MSDS #: IC1664-0101
Product Code: 1487B

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing cyan liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None



MSDS #: IC1664-0101
Product Code: 1487B

SECTION 5 FIRE	FIGHTING MEASURES				
Fire Fighting Measures:					
Extinguishing Media					
CO <sub>2</sub> , water, foam o					
Unsuitable Extinguis None	shing Media:				
Special Fire Fighting None	Procedures:				
Unusual Fire and Ex None	plosion Hazards:				
Fire and Explosive Prop	erties (See also Section 9):				
Hazardous Combustion Products:					
CO, CO <sub>2</sub> , NOx and	1 SOx				
Other Properties:  None					
SECTION 6 ACC	IDENTAL RELEASE MEASURES				
<b>Personal Precautions:</b>					
Avoid contact with ski					
Avoid breathing vapor					
Environmental Precauti	ons: er, surface water or ground water.				
Method for Cleaning U					
Wipe off with wet clot					
wipe on with wet clot	пографет.				
SECTION 7 HAN	DLING AND STORAGE				
Handling:					
Avoid breathing vapor					
Use with adequate ven	n, eyes and clothing. In case of contact, wash out the contaminated area immediately.				
-	ii, eyes and crothing. In case of contact, wash out the containinated area infinediately.				
Storage: Keep in a cool and dry	place				
Protect from sunlight.	Price.				
Specific Uses:					
Ink for Ink Jet Printer.					
For more information,	please refer to the instruction of this product.				
SECTION 8 EXP	OSURE CONTROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not established for the	s ink. (See also SECTION 2)				
<b>Engineering Controls:</b> Use adequate ventilati	on.				
Personal Protection Equ	ipment(s):				
Respiratory Protecti	ion: ☐ Required  X Not Required				
Eye/Face Protection	Required				
Clain Ductoction	☑ Not Required				
Skin Protection:	☐ Required  Not Required				

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1664-0101
Product Code: 1487B

SECTION 9 PHYSICAL AND CH	HEMICAL PROPERTIES		
Appearance:	Cyan liquid		
Odor:	Slight odor		
pH:	8 - 9		
<b>Boiling Point/Range(°C):</b>	Not available		
Melting Point/Range(°C):	Not available Not available		
<b>Decomposition Temperature(°C):</b>			
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Percent Volatile (%):	60 - 80		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND R	EACTIVITY		
Stability:	■ Stable     □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		



Not available

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1664-0101
Product Code: 1487B

# **SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity:** Inhalation: Not available Ingestion: Not available Eye: Minimal irritant (rabbit) OECD Guidelines No.405 (2002), 2004/73/EC Method B5 Skin: Non-irritant (rabbit) OECD Guidelines No.404 (2002), 2004/73/EC Method B4 Sensitization: Non-sensitizer (mouse) OECD Guidelines No.429 (2002), 2004/73/EC Method B42 Mutagenicity: Ames test: Negative (S. typhimurium & E. Coli) **Reproductive Toxicity:** Not available Carcinogenicity: Not available Others:

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1664-0101
Product Code: 1487B

SECTION 12	ECOLOGICAL INFORMATION			
<b>Mobility:</b>	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
<b>Ecotoxicity:</b>	Not available			
Other Adverse Effe	ects: Not available			
	DISPOSAL CONSIDERATIONS			
Method of Disposa				
Disposai snouid	be subject to federal, state and local laws.			
SECTION 14	TRANSPORT INFORMATION			
UN #:	None			
<b>UN Shipping Name</b>	None None			
<b>UN Classification:</b>	None			
<b>UN Packing Group</b>	None			
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☑ No			
<b>Special Precautions</b>	s: None			
SECTION 15 < EU Information >	REGULATORY INFORMATION			
Information on the Label:				
Symbol & Indi	cation: Not required			
R-Phrase:	<u> </u>			
Not required				
S-Phrase: Not required				
Dangerous Cor Not required				
-	tions under 1999/45/EC Annex V: heet available for professional user on request.			
	in Relation to Protection of Man or the Environment:			
76/769/EEC:	Not regulated			
(EC)2037/2000				
(EC)304/2003:	-			
Others:	None			

Page 7 of 8

Canon

### MATERIAL SAFETY DATA SHEET

MSDS #: IC1664-0101
Product Code: 1487B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

**Hazard warning:**VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R41: Risk of serious damage to eyes.

MSDS #: IC1664-0101
Product Code: 1487B

Page 8 of 8

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.