Canon

MATERIAL SAFETY DATA SHEET

 Page 1 of 8

 MSDS #:
 IC1667-0101

 Product Code:
 1490B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING		
Product Name:	Canon Ink Tank PFI-301PC	
Product Code:	1490B	
Company Name:	Canon Europa N.V.	
Address:	Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands	
Use of the Product:	Ink for Ink Jet Printer	

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	10 - 15	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m
9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS #/ EC # 56-81-5/ 200-289-5 107-21-1/ 203-473-3 9014-85-1/ Not applicable Confidential 7732-18-5/	CAS # / EC # Weight % 56-81-5 / 200-289-5 10 - 15 107-21-1 / 203-473-3 5 - 10 9014-85-1 / Not applicable 1 - 5 Confidential 5 - 10 7732-18-5 / 60 - 80	CAS #/ EC # Weight % EU Symbol/ R-Phrase 56-81-5 / 200-289-5 10 - 15 None / None 107-21-1 / 203-473-3 5 - 10 Xn / R22 9014-85-1 / Not applicable 1 - 5 Xi / R41 Confidential 5 - 10 None / None 7732-18-5 / 60 - 80 None / None	CAS # / EC #Weight %EU Symbol/ R-PhraseUSA OSHA PEL56-81-5 / 200-289-510 - 15None / None(as mist) Total dust TWA = 15 mg/m3 Respirable fraction TWA = 5 mg/m3107-21-1 / 203-473-35 - 10Xn / R22Not established9014-85-1 / Not applicable1 - 5Xi / R41Not establishedConfidential5 - 10None / NoneNot established7732-18-5 /60 - 80None / NoneNot established	EC #%R-PhraseOSHA PEL $56-81-5 / 200-289-5$ $10 - 15$ None / None(as mist) Total dust TWA = 15 mg/m³(as mist) TWA = 10 mg/m³ $107-21-1 / 203-473-3$ $5 - 10$ Xn / R22Not established(aerosol) Ceiling = 100 mg/m³ $9014-85-1 / Not applicable$ $1 - 5$ Xi / R41Not establishedNot establishedConfidential $5 - 10$ None / NoneNot establishedNot established $7732-18-5 / $ $60 - 80$ None / NoneNot establishedNot established	CAS #/ EC #Weight %EU Symbol/ R-PhraseUSA OSHA PELACGIH TLVEU ILV56-81-5/ 200-289-510 - 15None / None(as mist) Total dust TWA = 15 mg/m³(as mist) TWA = 10 mg/m³Not established107-21-1/ 203-473-35 - 10Xn / R22Not established(aerosol) Ceiling = 100 mg/m³TWA = 20 ppm, 52 mg/m³9014-85-1/ Not applicable1 - 5Xi / R41Not establishedNot establishedNot establishedConfidential5 - 10None / NoneNot establishedNot establishedNot establishedNot established7732-18-5 /60 - 80None / NoneNot establishedNot establishedNot establishedNot established



< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor. Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause mild irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

 CO_2 , water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards: None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

 Respiratory Protection:
 □ Required

 ☑ Not Required

 Eye/Face Protection:
 □ Required

 ☑ Not Required

 Skin Protection:
 □ Required

☐ Required ▼ Not Required



MATERIAL SAFETY DATA SHEET

Page 4 of 8 MSDS #: Product Code:

IC1667-0101 1490B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Cyan liquid
Odor:	Slight odor
pH:	8 - 9
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature(°C):	Not available
Flash Point(°C):	Estimate: None
Flammable (Explosive) Limits:	Not available
Autoignition Temperature(°C):	Not available
Flammability:	Neither flammable nor combustible.
Explosive Properties:	Estimate: None
Oxidizing Properties:	Estimate: None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.0 - 1.1
Water Solubility :	Miscible
Fat Solubility :	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1-5
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	⊠ Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur

Conditions to Avoid:

None



SECTION 11 TOXICOLOGICAL INFORMATION
Acute Toxicity:
Inhalation:
Not available
Ingestion:
Not available
Eye:
[Data of similar composition ink]
Mild irritant (rabbit)
OECD Guidelines No.405 (2002), 2004/73/EC Method B5
Skin:
[Data of similar composition ink]
Mild irritant (rabbit)
OECD Guidelines No.404 (2002), 2004/73/EC Method B4
Sensitization:
[Data of similar composition ink]
Non-sensitizer (mouse)
OECD Guidelines No.429 (2002), 2004/73/EC Method B42
Mutagenicity:
Ames test: Negative (S. typhimurium & E. Coli)
Reproductive Toxicity:
Not available
Carcinogenicity:
Not available
Others:
Not available



MATEDIAL SAFETV DATA SHEET

Page 6 of 8 IC1667-0101 MSDS #: t Code

14000

	WATERIAL SAFETY DATA SHEET	Product Code:	1490B	
SECTION 12 F	COLOGICAL INFORMATION			
Mobility:	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
Ecotoxicity:	Not available			
Other Adverse Effe	ets: Not available			
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal: Disposal should be subject to federal, state and local laws.				
SECTION 14 T	TRANSPORT INFORMATION			
UN #:	None			
UN Shipping Name:	None			
UN Classification:	None			
UN Packing Group:	None			
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No			
Special Precautions:	None			
SECTION 15 F < EU Information >	REGULATORY INFORMATION			
Information on the l	Label:			
Symbol & Indica	ation: Not required			
R-Phrase: Not required				
S-Phrase: Not required				
Dangerous Com Not required	ponent(s):			
Special Precauti	ons under 1999/45/EC Annex V:			
Safety data she	eet available for professional user on request.			
Specific Provisions in	n Relation to Protection of Man or the Environment:			
76/769/EEC:	Not regulated			
(EC)2037/2000:	Not regulated			
(EC)304/2003:	Not regulated			
Others:	None			

< USA Information > Information on the Label under OSHA HCS:	
Signal Word: Not required	
Hazard warning: VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IF	RRITATION.
Safety Advice: Not required	
Hazardous Component(s): Not required	
SARA Title III §313: Chemical Name	Weight %
"Ethylene glycol" (107-21-1)	5 - 10
California Proposition 65: Chemical Name	Weight %
<u>None</u> Canada Information > WHMIS Controlled Product: Not applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature: Not classified as hazardous according to cr	riteria of NOHSC.
SECTION 16 OTHER INFORMATION <r list="" phrase=""> R22: Harmful if swallowed.</r>	

R22: Harmful if swallowed. R41: Risk of serious damage to eyes.



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.