1495B



MATERIAL SAFETY DATA SHEET

IC1672-0101

MSDS #:

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank PFI-301GY

Product Code: 1495B

Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Poly(oxy-1,2-ethanediyl), .alpha.,alpha{1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Carbon black	1333-86-4 / 215-609-9	1 - 5	None / None	$TWA = 3.5 \text{ mg/m}^3$	$TWA = 3.5 \text{ mg/m}^3$	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established



MSDS #: IC1672-0101
Product Code: 1495B

< Carcinogen >

Chemical Name CAS# Reference

Carbon Black 1333-86-4 IARC: Group 2B. NTP; OSHA; Annex I to 67/548/EEC: Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting,

Eye:

May cause mild irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MSDS #: IC1672-0101
Product Code: 1495B

SECTION 5 FIRE	FIGHTING MEASURES				
Fire Fighting Measures:					
Extinguishing Media					
CO ₂ , water, foam o					
Unsuitable Extinguis None	shing Media:				
Special Fire Fighting None	Procedures:				
Unusual Fire and Ex None	plosion Hazards:				
Fire and Explosive Prop	erties (See also Section 9):				
Hazardous Combustion Products:					
CO, CO ₂ , NOx and	1 SOx				
Other Properties: None					
SECTION 6 ACC	IDENTAL RELEASE MEASURES				
Personal Precautions:					
Avoid contact with ski					
Avoid breathing vapor					
Environmental Precauti	ons: er, surface water or ground water.				
Method for Cleaning U					
Wipe off with wet clot					
wipe on with wet clot	пографет.				
SECTION 7 HAN	DLING AND STORAGE				
Handling:					
Avoid breathing vapor					
Use with adequate ven	n, eyes and clothing. In case of contact, wash out the contaminated area immediately.				
-	ii, eyes and crothing. In case of contact, wash out the containinated area infinediately.				
Storage: Keep in a cool and dry	place				
Protect from sunlight.	Price.				
Specific Uses:					
Ink for Ink Jet Printer.					
For more information,	please refer to the instruction of this product.				
SECTION 8 EXP	OSURE CONTROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not established for the	s ink. (See also SECTION 2)				
Engineering Controls: Use adequate ventilati	on.				
Personal Protection Equ	ipment(s):				
Respiratory Protecti	ion: ☐ Required X Not Required				
Eye/Face Protection	Required				
Clain Ductoction	☑ Not Required				
Skin Protection:	☐ Required Not Required				

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1672-0101</u> Product Code: 1495B

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES			
Appearance:	Black liquid			
Odor:	Slight odor			
pH:	8 - 9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature(°C):	Not available			
Flash Point(°C):	Estimate: None			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Neither flammable nor combustible.			
Explosive Properties:	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)): Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND F	REACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			



MSDS #: IC1672-0101
Product Code: 1495B

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

Sensitization:

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1672-0101
Product Code: 1495B

SECTION 12 E	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	Not available Not available				
	DISPOSAL CONSIDERATIONS				
Method of Disposal: Disposal should be	e subject to federal, state and local laws.				
SECTION 14 T	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): No				
Special Precautions:	None				
SECTION 15 REGULATORY INFORMATION < EU Information >					
Information on the Label:					
Symbol & Indication: Not required					
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Comp	ponent(s):				
-	ons under 1999/45/EC Annex V: eet available for professional user on request.				
	1 Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:					
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1672-0101
Product Code: 1495B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

Page 8 of 8

MSDS #: IC1672-0101

Product Code: 1495B

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.