Canon

MATERIAL SAFETY DATA SHEET

	Page 1 of 8
MSDS #:	IC1673-0101
Product Code:	1496B

673-0101

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING	
Product Name:	Canon Ink Tank PFI-301PGY	
Product Code:	1496B	
Company Name:	Canon Europa N.V.	
Address:	Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands	
Use of the Product:	Ink for Ink Jet Printer	

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 2**

ECTION 2	COMIOSI		INFORMATIC	JN UN INGRE	DIENIS		
<pre>S Ingredient(s) > Chemical Name / Generic Name</pre>	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	10 - 15	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/n
Carbon black	1333-86-4 / 215-609-9	< 1	None / None	$TWA = 3.5 mg/m^3$	$TWA = 3.5 \text{ g/m}^3$	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established



< Carcinogen > CAS# Reference **Chemical Name** Carbon Black 1333-86-4 IARC : Group 2B. NTP; OSHA; Annex I to 67/548/EEC : Not listed. Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC HAZARDS IDENTIFICATION **SECTION 3 EU Classification:** Not classified as dangerous. **Emergency Overview:** Ink tank containing black liquid ink with slight odor. Vapor or mist may cause respiratory tract and eye irritation. **Potential Health Effects and Symptoms:** Inhalation: No adverse effects are expected under intended use. Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea. Ingestion: May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. Eye: May cause mild irritation. (See SECTION 11) Skin: Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

 CO_2 , water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards: None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:RequiredImage: Skin Protection:Image: RequiredImage: Skin Protection:Image: Required

Not Required



MATERIAL SAFETY DATA SHEET

Pag MSDS #: IC167 Product Code:

IC1673-0101 1496B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black liquid		
Odor:	Slight odor		
pH:	8 - 9		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
Explosive Properties:	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure :	Not available		
Vapor Density :	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility :	Not available		
Partition Coefficient (n-Octanol/Water): Not available			
Percent Volatile (%):	rcent Volatile (%): 60 - 80		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND REACTIVITY			
Stability:	X Stable		
Stability.	Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	CO, CO ₂₂ NOx and SOx		
Hazardous Polymerization:	☐ May Occur X Will Not Occur		

Conditions to Avoid:

None

Page 4 of 8



TOXICOLOGICAL INFORMATION **SECTION 11**

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

[Data of similar composition ink] Mild irritant (rabbit) OECD Guidelines No.405 (2002), 2004/73/EC Method B5 Skin:

[Data of similar composition ink] Non-irritant (rabbit) OECD Guidelines No.404 (2002), 2004/73/EC Method B4

Sensitization:

[Data of similar composition ink] Non-sensitizer (mouse) OECD Guidelines No.429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

Others:

Not available



MATERIAL SAFETY DATA SHEET

Page 6 of 8 IC1673-0101 MSDS #: Product Code:

1496B

SECTION 12 E Mobility: Persistence / Degradability:	COLOGICAL INFORMATION Not available			
Persistence	Not available			
	Not available			
Bioaccumulation:	Not available			
Ecotoxicity:	y: Not available			
Other Adverse Effec	Not available			
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal:				
SECTION 14 T	TRANSPORT INFORMATION			
UN #:	None			
UN Shipping Name:	None			
UN Classification:	None			
UN Packing Group:	UN Packing Group: None			
Marine Pollutant: Yes Chemical name (wt%): No				
Special Precautions: None				
SECTION 15 REGULATORY INFORMATION < EU Information > Information on the Label:				
Symbol & Indica R-Phrase:	Ation: Not required			
Not required				
S-Phrase: Not required				
Dangerous Component(s): Not required				
Special Precautions under 1999/45/EC Annex V:				
Safety data sheet available for professional user on request.				
Specific Provisions in Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated			
(EC)2037/2000:	Not regulated			
(EC)304/2003:	Not regulated			
Others:	None			

Canon

< USA Information >		
Information on the Label under OSHA HCS:		
Signal Word: Not required		
Hazard warning: VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EY	E IRRITATION.	
Safety Advice: Not required		
Hazardous Component(s): Not required		
SARA Title III §313:		
Chemical Name	Weight %	
"Ethylene glycol" (107-21-1)	5 - 10	
California Proposition 65:		
Chemical Name	Weight %	
None		
< Canada Information > WHMIS Controlled Product: Not applicable (Manufactured article)		
< Australia Information > Statement of Hazardous Nature: Not classified as hazardous according t	o oritoria of NOUSC	
Not classified as indzardous according t		
SECTION 16 OTHER INFORMATION		
<r list="" phrase=""></r>		

R22: Harmful if swallowed.



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.