-	Page 1 of 8					
Canon	MSDS #: IC1714-0202 MATERIAL SAFETY DATA SHEET Product Code: 2145B					
	ENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE DMPANY/UNDERTAKING					
<b>Product Identifier:</b>						
Product Name:	Canon FINE Cartridge PG-37					
Product Code:	2145B					
	ses: Ink for Ink Jet Printer					
Details of Supplier of	-					
Supplier:	Canon Europa NV					
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands					
Telephone Number	r:+31 20 5458545, +31 20 5458222					
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com					
Emergency Telephone	DENMARK:       +45       82       12       12; GERMANY:       +49       30       19240, +49       761       19240;         e Number:       BELGIUM & NETHERLANDS:       +32       70       245       245; FRANCE:       +33       1       40       05       48       48;         UK only       0845       4647;       FINLAND:       +358       9       471       977;       SWEDEN:       +46       8       33       12       31					
Manufacturer:	Canon Inc.					
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan					
SECTION 2 HA	AZARDS IDENTIFICATION					
Emergency Overviewa Ink cartridge contai	: ining black liquid ink with slight odor.					
<b>US Regulatory Status</b>	under FHSA:					
Not classified as ha	izardous.					
US Label Elements un	nder FHSA:					
	Not required					
Hazard Warning:	Not required					
Safety Advice:	Not required					
-	onent: Not required					
EU Classification und Not classified as						
EU Label Elements ur	nder 1999/45/EC:					
Symbol & Indicat	ion: Not required					
<b>R-Phrase:</b>	Not required					
S-Phrase:	Not required					
Dangerous Compo	onent: Not required					
•	onent: Not required Elements in accordance with Annex V to 1999/45/EC:					

\_\_\_\_



## MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC1714-0202

MSDS #:

Product Code:

2145B

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase <sup>*1</sup>	Hazard Class/ Category Code	Hazard Statement <sup>*1</sup>	Hazards*
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Diethylene glycol	111-46-6 / 203-872-2	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

\*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

\*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



**First Aid Measures:** Inhalation:

**Ingestion:** 

Skin:

Eye:

**SECTION 4** 

MSDS #:

Product Code: 2145B FIRST AID MEASURES If symptoms are experienced, move victim to fresh air and obtain medical advice. Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Wash with water and soap or mild detergent. If irritation persists, obtain medical advice.

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

## Most Important Symptoms and Effects, both Acute and Delayed:

## Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

## Eye:

No irritation is expected. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

#### **SECTION 5** FIRE FIGHTING MEASURES

### **Extinguishing Media:**

### **Suitable Extinguishing Media:**

 $CO_2$ , water, foam or dry chemicals

## **Unsuitable Extinguishing Media:**

None

# **Special Hazards:**

None

## **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

## **Advice for Fire-fighters:**

None

#### **SECTION 6** ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

## **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

## Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

			Page 4 of 8
Canon		MSDS #:	IC1714-0202
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	2145B
SECTION 7	HANDLING AND STORAGE		
Precautions for S	afe Handling:		
Use with adequ	ate ventilation.		
Avoid contact	with skin, eyes and clothing.		
In case of conta	act, wash out the contaminated area immediately.		
<b>Conditions for Sa</b>	fe Storage, Including Any Incompatibilities:		
Keep in a cool	and dry place.		
Protect from su	nlight.		
Keep out of the	e reach of children.		
Specific End Uses	): 		

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

USA OSHA PEL	ACGIH TLV	EU OEL
Not established	Not established	Not established
Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup> (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established
	OSHA PEL Not established Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup>	OSHA PEL Not established Not established Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup>

Exposure Controls: Engineering Controls: No special ventilation equipment is needed under intended use of this product. Individual Protection Measures:

**Eye/Face Protection:** Required Not Required

Required Not Required **Skin Protection:** 

**Respiratory Protection:** Required Not Required

MSDS #:

Product Code:

#### PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Black liquid **Odor:** Slight odor 7 - 8 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): None (Estimate) Flash Point(°C): Not available **Evaporation Rate:** Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): Not available **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties:** None (Estimate) **Oxidizing Properties: Other Information:** Not available

SECTION 10 STABILITY ANI	) REACTIVITY
Reactivity:	None
Chemical Stability:	Stable Unstable
Possibility of Hazardous Reactions:	None
Conditions to Avoid:	None
Incompatible Materials:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products	CO, CO <sub>2</sub> , NOx, SOx and Ammonia



Canon	MATERIAL SAFETY DATA	SHEET	Product Code:	2145B
SECTION 11	TOXICOLOGICAL INFORMATION			
Information on To Acute Toxicity: Inhalation:	xicological Effects:			
Not availabl				
Ingestion:				
Not availabl				
Corrosivity/Irr Skin:	tation:			
Mild irritant	(rabbit)			
OECD G	uidelines No. 404 (2002), 2004/73/EC Method B4			

8
Not available
Corrosivity/Irritation: Skin:
Mild irritant (rabbit)
OECD Guidelines No. 404 (2002), 2004/73/EC Method B4
Eye:
Non-irritant (rabbit)
OECD Guidelines No. 405 (2002), 2004/73/EC Method B5
Sensitization: Skin:
Non-sensitizer (mouse)
OECD Guidelines No. 429 (2002), 2004/73/EC Method B42
Repeated Dose Toxicity:
Not available
Carcinogenicity:
Not available
Mutagenicity:
Ames test: Negative (S. typhimurium & E. Coli)
Toxicity for Reproduction:
Not available
Other Information:

Not available

Campan			MSDS #:	Page 7 of 8 IC1714-0202
Canon		MATERIAL SAFETY DATA SHEET	Product Code:	2145B
SECTION 12 EC	OLOGIC	AL INFORMATION		
Toxicity:		Not available		
Persistence and Degrae	dability:	Not available		
<b>Bioaccumulative Poter</b>	ntial:	Not available		
Mobility in Soil:		Not available		
Results of PBT and vP Assessment:		No results that the component(s) of this ink meet(s) Regulation (EC) No 1907/2006.	the PBT or vPvE	3 criteria under
Other Adverse Effects	:	Not available		
Waste Treatment Met	thods:	CONSIDERATIONS to federal, state and local laws.		
SECTION 14 TR	ANSPOR	T INFORMATION		
UN Number:	N	lone		
UN Proper Shipping N	Name: <u>N</u>	lone		
Transport Hazard Cla	ass: <u>N</u>	lone		
Packing Group:	N	lone		
Environmental Hazar		ol classified as environmentally hazardous under U ollutant under IMDG Code.	N Model Regula	tions and marir
Special Precautions fo	or User: <u>N</u>	one		
SECTION 15 REG	GULATO	RY INFORMATION		
< USA Information >				
SARA Title III §313: Chemical Name	<u>م</u>		Weight %	,
None	C		vioigit /	5
California Propositio	on 65:			
Chemical Name			Weight %	, )
None				
< EU Information > Safety, Health and Er	nvironme	ntal Regulations/Legislation:		
(EC) No 1907/2006	6: Authori	sation:Not regulated		
	Restrict	ion: Not regulated		
(EC) No 1005/2009	Not regu	ilated		
(EC) No 850/2004:	Not regu	ılated		
(EC) No 689/2008:	Not regu	ılated		
Others:	None			
	None			

Canon

## SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC> R22: Harmful if swallowed.

<EU Hazard statement according to (EC) No 1272/2008> H302: Harmful if swallowd.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

## Literature References:

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008

- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

## Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA) FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern IARC: International Agency for Research on Cancer NTP: National Toxicology Program (USA) OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA) ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.