

MSDS #:

# 2212B

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name:	Canon Ink Tank PFI-103BK
<b>Product Code:</b>	<u>2212B</u>
<b>Company Name:</b>	Canon Europa N.V.
Address:	Bovenkerkerweg 59-61, 1185XB Amstelveen, The Netherlands
Use of the Product:	Ink for Ink Jet Printer

### SECTION 2 HAZARDS IDENTIFICATION

#### EU Classification:

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

No adverse effects are expected under intended use of this product.

# Medical Conditions Generally known to be Aggravated by Exposure:

Not identified



# MATERIAL SAFETY DATA SHEET Product Code:

Page 2 of 8 IC1742-0101

MSDS #:

2212B

SECTION 3 ( < Ingredient(s) >	COMPOSIT	TION/IN	FORMATIO	N ON INGREI	DIENTS		
Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m <sup>3</sup> Respirable fraction TWA = 5 mg/m <sup>3</sup>	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Carbon black	1333-86-4 / 215-609-9	1 - 5	None / None	$TWA = 3 \text{ mg/m}^3$ TWA = 3.5 mg/m <sup>3</sup>	TWA = 3.5 mg/m <sup>3</sup>	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
< Carcinogen > Chemical Name	CAS#	R	eference				
Carbon black	1333-86-	-4 <u>I</u>	ARC : Group 2	2B. NTP; OSHA	A; Annex I to 67	/548/EEC : Not	listed.
Except carbon blac Monographs, NTP, < PBT substance a	OSHA regu	nent of t lations of	his ink is listed or Annex I to I	d as a human cai	rcinogen or a po		

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



MSDS #:

Product Code:

## SECTION 4 FIRST AID MEASURES

# First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

# Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

#### SECTION 5 FIRE FIGHTING MEASURES

#### **Fire Fighting Measures:**

**Extinguishing Media:** 

CO<sub>2</sub>, water, foam or dry chemicals

#### Unsuitable Extinguishing Media:

None

#### **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

None

#### Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

 $CO, CO_2$ , NOx and SOx

**Other Properties:** 

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions:**

Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Method for Cleaning Up:

Wipe off with wet cloth or paper.

#### SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately. Storage:

Keep in a cool and dry place.

Protect from sunlight.

#### Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Canon			MSDS #:	Page 4 of 8 IC1742-0101
Canon	MAT	ERIAL SAFETY DATA SHEET	Product Code:	2212B
SECTION 8 EXPOSUR	E CONTRO	DLS / PERSONAL PROTECTION		
Exposure Guidelines: <u>N</u>	lot establishe	ed for this ink. (See also SECTION 3)		
	Jse adequate	ventilation.		
Personal Protection Equipme				
Respiratory Protection:	Required Required	Not Required		
	_			
	Required	Not Required		
SECTION 9 PHYSICAL	L AND CHI	EMICAL PROPERTIES		
Appearance:	· -	Black liquid		
Odor:	1	Slight odor		
pH:	_	8 - 9		
Boiling Point/Range(°C):	-	Not available		
Melting Point/Range(°C):	-	Not available		
Decomposition Temperature(°C):		Not available		
Flash Point(°C):	-	None (Estimate)		
Flammable (Explosive) Limit	ts:	Not available		
Autoignition Temperature(°C	C):	Not available		
Flammability:	-	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	-	None (Estimate)		
<b>Oxidizing Properties:</b>		None (Estimate)		
Vapor Pressure :		Not available		
Vapor Density :	-	Not available		
Density / Specific Gravity:	-	1.0 - 1.1		
Water Solubility :	-	Miscible		
Fat Solubility :		Not available		
Partition Coefficient (n-Octar	nol/Water):	Not available		
Percent Volatile (%):	-	60 - 80		
<b>Evaporation Rate:</b>		Not available		
Viscosity (mPa s):	-	1 - 5		
SECTION 10 STABILIT	Y AND RE	ACTIVITY		
Stability:		X Stable Unstable		
<b>Conditions to Avoid:</b>	]	None		
Materials to Avoid:	_	Acids, bases, oxidizing materials and reduc	ing agents	
Hazardous Decomposition Pr	roducts:	$CO, CO_2$ , NOx and SOx		
Hazardous Polymerization:		☐ May Occur		
Conditions to Avoid:		None		
	-			

MSDS #:

2212B

SECTION 11	TOXICOLOGICAL INFORMATION
Acute Toxicity:	
Inhalation:	
Not availal	ble
Ingestion:	
Not availal	ble
Eye:	
Minimal ir	ritant (rabbit) (Estimate)
OECD	Guidelines No.405 (2002), 2004/73/EC Method B5
Skin:	
Non-irritar	nt (rabbit) (Estimate)
OECD	Guidelines No.404 (2002), 2004/73/EC Method B4
Sensitization:	
Non-sensit	izer (mouse) (Estimate)
OECD	Guidelines No.429 (2002), 2004/73/EC Method B42
Mutagenicity:	
	Negative (S. typhimurium & E. Coli)
<b>Reproductive To</b>	xicity:
- Not availal	ble
Carcinogenicity:	
The IARC	evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence,
but sufficie	ent animal evidence. The latter is based upon the development of lung tumors in rats receiving
chronic inh	nalation exposure to powdered carbon black at levels that induce particle overload of the lung.
	the amount of inhalation exposure to powdered carbon black is negligible under intended use of
this produc	et.
Others:	
Not availal	ble

		MCDC #	Page 6 of 8
Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	IC1742-0101 2212B
	COLOGICAL INFORMATION		
Mobility:	Not available		
Persistence / Degradability:	Not available		
<b>Bioaccumulation:</b>	Not available		
Ecotoxicity:	Not available		
Other Adverse Effec	ets: Not available		
Method of Disposal:	SPOSAL CONSIDERATIONS be subject to federal, state and local laws.		
SECTION 14 T	RANSPORT INFORMATION		
UN #:	None		
UN Shipping Name:	None		
UN Classification:	None		
<b>UN Packing Group:</b>	None		
Marine Pollutant:	☐ Yes Chemical name (wt%): ⊠ No		
Special Precautions:	None		
SECTION 15 R < EU Information >	EGULATORY INFORMATION		
Information on the l	Label:		
Symbol & Indica	ation: Not required		
<b>R-Phrase:</b>			
Not required			
S-Phrase:			
Not required Dangerous Com	nonent(s).		
Not required			
· · · · ·	ons under 1999/45/EC Annex V:		
Not required			
Specific Provisions i	n Relation to Protection of Man or the Environment:		
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EC)304/2003:	Not regulated		
Others:	None		

			Page 7 of 8
Canon		MSDS #:	IC1742-0101
	MATERIAL SAFETY DATA SHEET	Product Code:	2212B
< USA Information >			
Information on the Labelunder	OSHA HCS:		
Signal Word: Not required			
Hazard warning: VAPOR OR MIST MAY (	CAUSE RESPIRATORY TRACT AND EYE IRRIT	ATION.	
Safety Advice: Not required			
Hazardous Component(s): Not required			
SARA Title III §313: Chemical Name		Weight %	
None			
California Proposition 65: Chemical Name		Weight %	
None			
< Canada Information > WHMIS Controlled Product	Not applicable (Manufactured article)		
< Australia Information > Statement of Hazardous Nat	ure: Not classified as hazardous according to criteria	a of NOHSC.	
SECTION 16 OTHER INF	ORMATION		

<Term explanation> Estimate: Estimate based on data of similar ink or the ingredient(s).

# Canon

Page 8 of 8 MSDS #: IC1742-0101 uct Code: 2212B

#### Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

- EU: European Union.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.