Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 Product Code: 4234A / F42-4101

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon C-EXV 1 Black Toner

Product Code: 4234A / F42-4101
Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<	Ingredient	(s)	>	
---	------------	-----	---	--

Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9 /215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Chromate(1-), bis[3,5-bis(1,1-dimethylethyl)-2-(hydroxykappa.O) benzoato(2-)kappa.O]-, hydrogen, (T-4)-	72869-85-3 /276-955-4	1-2 (as Cr: 0.1-0.2)	Xn/ R22	Not established	Not established	Not established	Not established

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as human carcinogen or potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 Product Code: 4234A / F42-4101

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 **A SHEET** Product Code: 4234A / F42-4101

	URE CONTROLS / PERSONAL PROTECTION			
Exposure Guidelines: USA OSHA PEL (TWA): 15mg/m³ (Total dust) 5mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10mg/m³ (Inhalable fraction) 3mg/m³ (Respirable fraction) DFG MAK: 4 mg/m³ (Inhalable fraction) 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)				
Engineering Controls: Use adequate ventilation.				
Personal Protection Equipm	nent(s):			
Respiratory Protection:	Required Not Required			
Eye/Face Protection:	☐ Required Not Required			
Skin Protection:	□ Required ■ Not Required			
SECTION 9 PHYSIC	CAL AND CHEMICAL PROPERTIES			
Appearance:	Black fine powder			
Odor:	Slight plastic odor			
pH:	Not applicable			
Boiling Point/Range(°C):	Not applicable			
Melting Point/Range(°C):	100 - 150 (Softening point)			
Decomposition Temperatur	re(°C): >200			
Flash Point(°C):	Not applicable			
Flammable (Explosive) Lim	Not applicable			
Autoignition Temperature(°C): Not available			
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))			
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties:	Not available			
Vapor Pressure:	Not applicable			
Vapor Density:	Not applicable			
Density / Specific Gravity:	1.4-1.6			
Water Solubility:	Negligible			
Fat Solubility:	Partially soluble in toluene and xylene.			
Partition Coefficient (n-Oct	tanol/Water): Not applicable			
Percent Volatile:	Negligible			
Evaporation Rate:	Not applicable			
Viscosity:	Not applicable			

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 Product Code: 4234A / F42-4101

SECTION 10 STABILITY AND	REACTIVITY				
Stability:	X Stable☐ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Products:	:: CO, CO2				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICA	AL INFORMATION				
Acute Toxicity: Inhalation: Not available					
Ingestion: Rat, LD50 > 5000mg/kg					
Eye: Rabbit, transient slight conjunct	ival irritation only.				
Skin: Rabbit, non-irritant					
Sensitization: Guinea pig, skin : Non-sensitizin	ng				
Mutagenicity: Ames Test (Salmonella typhimu	urium) : Negative				
Reproductive Toxicity: Not available					
Carcinogenicity: Not available					
	v response upon chronic inhalation exposure in rats to a toner enriched in				

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 Product Code: 4234A / F42-4101

SECTION 12 EC	JOLOG	SICAL INFORMATION				
Mobility:		Not available				
Persistence / Degradability:		Not available				
Bioaccumulation:		Not available				
Ecotoxicity:		Not available				
Other Adverse Effect	ts:	Not available				
SECTION 13 DI	SPOSA	L CONSIDERATION				
Method of Disposal: DO NOT put toner container, unless de	or toner	r container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive hould be subject to federal, state or local laws.				
SECTION 14 TI	RANSP	ORT INFORMATION				
UN #:	None					
UN Shipping Name:	None					
UN Classification:	None					
UN Packing Group: 1	None					
_	□ Yes X No	Chemical name (wt%):				
Special Precautions:						
SECTION 15 RI	EGULA	TORY INFORMATION				
< EU Information >						
Information on the L	abel:					
Symbol & Indicar	tion: No	ot required				
R-Phrase: Not required						
S-Phrase: Not required						
Dangerous Comp None	onent(s):				
•		er 1999/45/EC Annex V: able for professional user on request.				
-	Relation	on to Protection of Man or the Environment:				
(EC)2037/2000: 1						
(EEC)2455/92: 1						
_	None					
< USA Information >						
Information on the L						
	Not requ	iired				
Hazard warning: Not required						



MATERIAL SAFETY DATA SHEET

MSDS #: TN1022-0101 Product Code: 4234A / F42-4101

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

 Chemical Name
 Weight %

 Chromium(III) compounds
 1-2

 (as Cr)
 (0.1-0.2)

California Proposition 65:

Chemical Name Weight %
None

< Canada Information >

WHMIS Controlled product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC

SECTION 16 OTHER INFORMATION

R phrase list:

R22 - Harmful if swallowed.

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission Act 1985

Abbreviations:

- "EU" stands for European Union.
- "OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.
- "ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- "EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- "DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
- "TWA" stands for Time Weighted Average.
- "IARC" stands for International Agency for Research on Cancer.
- "NTP" stands for National Toxicology Program (USA).
- "OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard.
- "FHSA" stands for Federal Hazardous Substances Act.
- "WHMIS" stands for Workplace Hazardous Materials Information System.
- "NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.