Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-6BK

Product Code: 4705A / F47-3221 **Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

| < Ingredient(s) > | | | | | | | |
|------------------------------|--------------------------|-------------|----------------------------|---|---|--|-----------------------------------|
| Chemical Name / Generic name | CAS # / EC # | Weight % | EU Symbol/ R-Phrase | USA OSHA PEL | ACGIH TLV | EU ILV | DFG MAK |
| Glycerin | 56-81-5 / 200-289-5 | 5 - 10 | None / None | (as mist) Total dust $TWA = 15 \text{ mg/m}^3$ Respirable fraction $TWA = 5 \text{ mg/m}^3$ | (as mist) TWA = 10 mg/m ³ | Not established | Not established |
| Ethylene glycol | 107-21-1 / 203-473-3 | 5 - 10 | Xn / R22 | Not established | (aerosol) Ceiling = 100 mg/m ³ | TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³ | 10 ppm, 26 mg/m ³ |
| Isopropyl alcohol | 67-63-0 / 200-661-7 | 1 - 3 | F / R11 Xi / R36 R67 | TWA = 400 ppm, 980 mg/m ³ | TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³ | Not established | 200 ppm, 500 mg/m ³ |
| Ammonia derivative | Confidential | 5 - 10 | None / None | Not established | Not established | Not established | Not established |
| Water | 7732-18-5 / 231-791-2 | 55 - 75 | None / None | Not established | Not established | Not established | Not established |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause no irritation and mild sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

| | FIRE FIGHTING MEASURES | | | | |
|--|--|--|--|--|--|
| Fire Fighting Meas | ures: | | | | |
| Extinguishing Media: | | | | | |
| CO ₂ , water, f | Foam or dry chemicals | | | | |
| Unsuitable Extin | nguishing Media: | | | | |
| None | | | | | |
| Special Fire Fig | thting Procedures: | | | | |
| None | | | | | |
| Unusual Fire an | d Explosion Hazards: | | | | |
| None | | | | | |
| Fire and Explosive | Properties (See also Section 9): | | | | |
| Hazardous Combustion Products: | | | | | |
| CO, CO_2 and | | | | | |
| Other Propertion | es: | | | | |
| None | | | | | |
| SECTION 6 | ACCIDENTAL RELEASE MEASURES | | | | |
| Personal Precautio | ns: | | | | |
| | vith skin, eyes and clothing. | | | | |
| Environmental Pred | cautions: | | | | |
| Do not release to | o sewer, surface water or ground water. | | | | |
| Method for Cleanin | g Up: | | | | |
| Wipe off with w | et cloth or paper. | | | | |
| SECTION 7 | HANDLING AND STORAGE | | | | |
| SECTION / | HAIDENG AID STORAGE | | | | |
| II JII | | | | | |
| Handling: | ita vantilation | | | | |
| Use with adequa | | | | | |
| Use with adequa Avoid contact w | vith skin, eyes and clothing. | | | | |
| Use with adequa Avoid contact w In case of contact | | | | | |
| Use with adequa Avoid contact w In case of contact Storage: | with skin, eyes and clothing. et, wash out the contaminated area immediately. | | | | |
| Use with adequate Avoid contact was In case of contact Storage: Keep in a cool at | with skin, eyes and clothing. ct, wash out the contaminated area immediately. and dry place. Protect from sunlight. | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from | with skin, eyes and clothing. ct, wash out the contaminated area immediately. and dry place. Protect from sunlight. | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from | with skin, eyes and clothing. et, wash out the contaminated area immediately. and dry place. Protect from sunlight. heat and flame. | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicate the contaminated area | | | | |
| Use with adequate Avoid contact was In case of contact Storage: Keep in a cool at Keep away from Keep out of the storage Uses: Ink for Ink Jet Pr | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicate the contaminated area | | | | |
| Use with adequate Avoid contact was In case of contact was In case of contact Storage: Keep in a cool at Keep away from Keep out of the storage out of the storage in the storage was a storage with the storage | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Ind dry place. Protect from sunlight. heat and flame. reach of children. rinter. nation, please refer to the instruction of this product. | | | | |
| Use with adequate Avoid contact was In case of contact was In case of contact Storage: Keep in a cool at Keep away from Keep out of the storage out of the storage in the storage was a storage with the storage | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Ind dry place. Protect from sunlight. heat and flame. reach of children. Finter. lation, please refer to the instruction of this product. EXPOSURE CONTROLS / PERSONAL PROTECTION | | | | |
| Use with adequate Avoid contact was In case of contact was In case of contact was In case of contact with the storage: Keep in a cool at Keep away from Keep out of the storage was Ink for Ink Jet Prance For more inform SECTION 8 Exposure Guideline | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Ind dry place. Protect from sunlight. heat and flame. reach of children. Finter. lation, please refer to the instruction of this product. EXPOSURE CONTROLS / PERSONAL PROTECTION | | | | |
| Use with adequate Avoid contact was In case of contact was In case of contact was In case of contact with the storage: Keep in a cool at Keep away from Keep out of the storage was Ink for Ink Jet Prance For more inform SECTION 8 Exposure Guideline | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicated the contaminated area im | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the to Specific Uses: Ink for Ink Jet Pr For more inform SECTION 8 Exposure Guideline Not established | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicated dry place. Protect from sunlight. heat and flame. reach of children. Inter. Inte | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the t Specific Uses: Ink for Ink Jet Pr For more inform SECTION 8 Exposure Guideling Not established Engineering Control | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Ind dry place. Protect from sunlight. heat and flame. reach of children. Inter. tation, please refer to the instruction of this product. EXPOSURE CONTROLS / PERSONAL PROTECTION ess: for this ink. (See also SECTION 2) ols: entilation. | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the te Specific Uses: Ink for Ink Jet Pr For more inform SECTION 8 Exposure Guideline Not established: Use adequate very | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicated a place. Protect from sunlight. heat and flame. reach of children. Inter. Inter. | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the te Specific Uses: Ink for Ink Jet Pr For more inform SECTION 8 Exposure Guideline Not established: Use adequate very | with skin, eyes and clothing. In the contaminated area immediately. In dry place. Protect from sunlight. In the at and flame. In the contaminated area immediately. In th | | | | |
| Use with adequa Avoid contact w In case of contact Storage: Keep in a cool at Keep away from Keep out of the te Specific Uses: Ink for Ink Jet Pr For more inform SECTION 8 Exposure Guideline Not established: Use adequate very | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indiding place. Protect from sunlight. heat and flame. reach of children. Inter. Lation, please refer to the instruction of this product. EXPOSURE CONTROLS / PERSONAL PROTECTION es: for this ink. (See also SECTION 2) ols: entilation. Equipment(s): otection: Required Not Required ction: Required | | | | |
| Use with adequate Avoid contact was In case of contact with the second of | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indicated the contaminated area im | | | | |
| Use with adequate Avoid contact was In case of contact with the second of | with skin, eyes and clothing. ct, wash out the contaminated area immediately. Indidry place. Protect from sunlight. heat and flame. reach of children. Inter. In | | | | |

Page 4 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

| SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES | | | | |
|--|---|--|--|--|
| Appearance: | Black liquid | | | |
| Odor: | Slight odor | | | |
| pH: | 7 - 9 | | | |
| Boiling Point/Range(°C): | Not available | | | |
| Melting Point/Range(°C): | Not available | | | |
| Decomposition Temperature(°C): | Not available | | | |
| Flash Point(°C): | Estimate: 55 - 57 (Tag Closed Cup. Combustion is not sustainable.) | | | |
| Flammable (Explosive) Limits: | Not available | | | |
| Autoignition Temperature(°C): | Not available | | | |
| Flammability: | Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC. | | | |
| Explosive Properties: | None | | | |
| Oxidizing Properties: | None | | | |
| Vapor Pressure : | Not available | | | |
| Vapor Density: | Not available | | | |
| Density / Specific Gravity: | 1.04 - 1.10 | | | |
| Water Solubility: | Miscible | | | |
| Fat Solubility: | Not available | | | |
| Partition Coefficient (n-Octanol/Water): | Not available | | | |
| Percent Volatile (%): | 55 - 75 | | | |
| Evaporation Rate: | Not available | | | |
| Viscosity (mPa s): | 2-3 | | | |
| SECTION 10 STABILITY AND REACTIVITY | | | | |
| Stability: | Stable Unstable □ | | | |
| Conditions to Avoid: | None | | | |
| Materials to Avoid: | Acids, bases, oxidizing materials and reducing agents | | | |
| Hazardous Decomposition Products: | CO, CO ₂ , NOx and Ammonia | | | |
| Hazardous Polymerization: | ☐ May Occur ☑ Will Not Occur | | | |
| Conditions to Avoid: | None | | | |

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

SECTION 11 TOXICOLOGICAL INFORMATION **Acute Toxicity: Inhalation:** Not available **Ingestion:** Not available Eye: [Data of similar composition ink] Minimal irritant (rabbit) OECD Guidelines No.405 (1987) 92/69/EEC Method B5 Skin: [Data of similar composition ink] Non irritant (rabbit) OECD Guidelines No.404 (1992) 92/69/EEC Method B4 **Sensitization:** [Data of similar composition ink] Mild sensitizer (guinea pig) OECD Guidelines No.406 (1992) 96/54/EC Method B6 **Mutagenicity:** Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

| SECTION 12 | ECOLOGICAL INFORMATION | | | | | | |
|---|---------------------------------|--|--|--|--|--|--|
| Mobility: | Not available | | | | | | |
| Persistence / Degradability: | Not available | | | | | | |
| Bioaccumulation: | Not available | | | | | | |
| Ecotoxicity: | Not available | | | | | | |
| Other Adverse Eff | dverse Effects: Not available | | | | | | |
| SECTION 13 | DISPOSAL CONSIDERATION | | | | | | |
| Method of Disposal: Disposal should be subject to federal, state and local laws. | | | | | | | |
| SECTION 14 | TRANSPORT INFORMATION | | | | | | |
| UN #: | None | | | | | | |
| UN Shipping Name | : None | | | | | | |
| UN Classification: | None | | | | | | |
| UN Packing Group | : None | | | | | | |
| Marine Pollutant: | ☐ Yes Chemical name (wt%): ☑ No | | | | | | |
| Special Precaution | S: None | | | | | | |
| SECTION 15 REGULATORY INFORMATION < EU Information > Information on the Label: Symbol & Indication: Not required R-Phrase: | | | | | | | |
| Not required S-Phrase: | 1 | | | | | | |
| Not required | 1 | | | | | | |
| Dangerous Component(s): None | | | | | | | |
| Special Precautions under 1999/45/EC Annex V: Not required | | | | | | | |
| Specific Provisions in Relation to Protection of Man or the Environment: | | | | | | | |
| 76/769/EEC: | Not regulated | | | | | | |
| (EC)2037/2000 | Not regulated | | | | | | |
| (EC)304/2003: | Not regulated | | | | | | |
| Others: | None | | | | | | |

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Not required

Safety Advice:

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed. R36 : Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Section 2, 3, 9, 11 and 12



MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 4705A / F47-3221

Product Code:

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.