

MATERIAL SAFETY DATA SHEET

IC1012-0202 MSDS #: Product Code: 4709A / F47-3261

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Canon Ink Tank BCI-6PC Photo **Product Name:**

4709A / F47-3261 **Product Code: Company Name:** Canon Europa N.V.

Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands Address:

Use of the Product: Ink for Ink Jet Printer							
SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS							
< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None/ None	(as mist) Total dust TWA = 15 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
				Respirable fraction TWA = 5 mg/m ³			
Ethylene glycol	107-21-1 / 203-473-3	2 - 6	Xn/ R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	1 - 5	Xn/ R22	Not established	Not established	Not established	10 ppm, 44 mg/m³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F/ R11, Xi/ R36, R67	TWA = 400 ppm, 980 mg/m ³	TWA = 400 ppm, 983 mg/m ³ STEL = 500 ppm, 1230 mg/m ³	Not established	200 ppm, 500 mg/m³
Ammonia derivative	Confidential	5 - 10	None/ None	Not established	Not established	Not established	Not established
Lactam	Confidential	5 - 10	None/ None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	55 - 75	None/ None	Not established	Not established	Not established	Not established

December 22, 2000 Date of Issue: Revised: October 11, 2002

MATERIAL SAFETY DATA SHEET

MSDS #: Product Code: 4709A / F47-3261

Page 2 of 8 IC1012-0202

< Carcinogen >

Chemical Name CAS# Reference

None

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Glycerin mist may cause physical irritation and difficulty breathing.

Over exposure to ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, sore throat and cough.

Ingestion:

Ingestion of glycerin, ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, sore throat, abdominal pain, dullness and diarrhea.

May cause minimal irritation based on the animal test data of similar composition ink. (See SECTION 11)

Skin:

May be no irritation and no sensitization based on the animal test data of similar composition ink. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Page 3 of 8

MSDS #: IC1012-0202

MATERIAL SAFETY DATA SHEET Product Code: 4709A / F47-3261

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguiching Medics

Fire Fighting Measures:					
Extinguishing Media:					
CO ₂ , water, foam or dry chemicals					
Unsuitable Extinguishing Media:					
None					
Special Fire Fighting Pr None	ocedures:				
Unusual Fire and Explosion Hazards: None					
Fire and Explosive Properti	es (See also Section 9):				
Hazardous Combustion Products: CO, CO, and NOx					
Other Properties:					
None					
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES				
Personal Precautions:					
Avoid contact with skin, e	yes and clothing.				
Environmental Precautions	:				
Do not release to sewer, s	urface water or ground water.				
Method for Cleaning Up:					
Wipe off with wet cloth or	r paper.				
SECTION 7 HANDL	ING AND STORAGE				
Handling:					
Use with adequate ventila	tion.				
Avoid contact with skin, e	yes and clothing. When contact, wash out immediately.				
Storage:					
Keep away from heat and					
Protect from sunlight. Keep out of the reach of children.					
Specific Uses: Ink for Ink Jet Printer.					
	ase refer to the instruction of this product.				
	·				
	URE CONTROLS / PERSONAL PROTECTION				
Exposure Guidelines:	1 (A1 C + GEOTTON 2)				
Not established for this ink. (Also refer to SECTION 2)					
Engineering Controls: Use adequate ventilation.					
*					
Personal Protection Equipment(s): Respiratory Protection: ☐ Required					
respiratory r rotection.	Not Required ■				
Eye/Face Protection:	Required				
	Not Required				
Skin Protection:	Required				
	Not Required				

Canon

MATERIAL SAFETY DATA SHEET Product Code: 4709A / F47-3261

MSDS #: IC1012-0202

Page 4 of 8

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES			
Appearance:	Cyan liquid			
Odor:	Slight odor			
pH:	8.9 - 9.9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature (${}^{\circ}$ C):	Not available			
Flash Point(°C):	Estimate: 58.7 (Tag. closed cup. Do not sustain combustion.)			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Classified as "Combustible liquid" under OSHA-HCS(USA). Not Classified as "flammable" or "combustible" under FHSA(USA). Not Classified as "flammable" under 1999/45/EC.			
Explosive Properties:	None			
Oxidizing Properties:	None			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.07			
Water Solubility :	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)	Not available			
Percent Volatile (%):	55 - 75			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1.9 - 2.5			
SECTION 10 STABILITY AND R	REACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx and Ammonia			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1012-0202 Product Code: 4709A / F47-3261

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

[Data of similar composition ink] Estimated $LD_{50} > 2500$ mg/kg (rat) OECD Guidelines No.423 (1996) 96/54/EC Method B1 tris

Eye:

[Data of similar composition ink] Minimal irritant (rabbit) OECD Guidelines No.405 (1987) 92/69/EEC Method B5

Skin:

[Data of similar composition ink] Non irritant (rabbit) OECD Guidelines No.404 (1992) 92/69/EEC Method B4

Sensitization:

[Data of similar composition ink] Non sensitizer (guinea pig) OECD Guidelines No.406 (1992) 96/54/EC Method B6

Mutagenicity:

Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

Others:

None

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET Product Code: 4709A / F47-3261

MSDS #: IC1012-0202

SECTION 12	ECOLOGICAL INFORMATION					
Mobility:	Not available					
Persistence /						
g, :	Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Not available					
Other Adverse Effects: Not available						
SECTION 13	DISPOSAL CONSIDERATION					
Method of Disposa Disposal may be	al: e subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION					
UN #:	None					
UN Shipping Nam	e: None					
UN Classification:	None					
UN Packing Group	o: None					
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No					
Special Precaution	s: None					
SECTION 15	REGULATORY INFORMATION					
< EU Information	>					
Information on th	ne Label:					
Symbol & Indication: Not required						
R-Phrase: Not required						
S-Phrase:						
Not required						
Dangerous Con None	mponent(s):					
Special Precau	tions under 1999/45/EC Annex V:					
Not required						
Specific Provisions in Relation to Protection of Man or the Environment:						
76/769/EEC:	Not regulated					
(EC)2037/2000	Not regulated					
(EEC)2455/92:	Not regulated					
Others:	None					

Canon

MATERIAL SAFETY DATA SHEET

MSDS #:

Product Code: 4709A / F47-3261

Page 7 of 8 IC1012-0202

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 2 - 6

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed. R36 : Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

SECTION 3 < Ptential Health and Symptoms>

SECTION 6 < Personal Precaution>

SECTION 7 < Handling>

SECTION 9 < pH> < Viscosity> <Flash Point>

SECTION 11 <Acute Toxicity>

MATERIAL SAFETY DATA SHEET

IC1012-0202 MSDS #: Product Code: 4709A / F47-3261

Page 8 of 8

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.