Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Canon EP-25 Cartridge (for Laser Beam Printer) **Product Name:**

Product Code: 5773A / R94-5002 **Company Name:** Canon Europa N.V.

Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands Address:

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

| < Ingredient(s) > | |
|-------------------|--|
| Chemical Name / | |

| Chemical Name / Generic name | CAS#/ EC# | Weight % | EU Symbol/ R-Phrase | USA OSHA PEL | ACGIH TLV | EU ILV | DFG MAK |
|---------------------------------|-------------------------|----------|------------------------|---|-----------------|-----------------|------------------------------------|
| Styrene acrylate copolymer | Confidential | 45 - 55 | None/ None | Not established | Not established | Not established | Not established |
| Iron oxide | 1317-61-9/ 215-277-5 | 40 - 50 | None/ None | Not established | Not established | Not established | Not established |
| Amorphous silica | 7631-86-9/ 231-545-4 | 1 - 3 | None/ None | 20 mppcf, 80 (mg/m³)/%SiO ₂ | 10 mg/m³ (TWA) | Not established | 4 mg/m³ (Inhalable fraction) |

< Carcinogen >

Chemical Name CAS# Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

| SECTION 8 EXPOSULE Exposure Guidelines: | RE CONTR | OLS / PERSONAL PROTECTION | | | | |
|--|----------------------------------|---|--|--|--|--|
| USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2) | | | | | | |
| Engineering Controls: Use adequate ventilation. | | | | | | |
| Personal Protection Equipme | ent(s): | | | | | |
| Respiratory Protection: | ☐ Required ☒ Not Requi | red | | | | |
| • | ☐ Required ☑ Not Required | | | | | |
| | n: ☐ Required ☐ Not Required | | | | | |
| SECTION 9 PHYSICA | L AND CH | EMICAL PROPERTIES | | | | |
| Appearance: | | Black fine powder | | | | |
| Odor: | | Slight plastic odor | | | | |
| pH: | | Not applicable | | | | |
| Boiling Point/Range(°C): | | Not applicable | | | | |
| Melting Point/Range(°C): | | 100 - 150 (Softening point) | | | | |
| Decomposition Temperature(°C): | | > 200 | | | | |
| Flash Point(°C): | | Not applicable | | | | |
| Flammable (Explosive) Limits: | | Not applicable | | | | |
| Autoignition Temperature(°C): | | Not available | | | | |
| Flammability: | | Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) | | | | |
| Explosive Properties: | | Can form explosive dust-air mixtures when finely dispersed in air. | | | | |
| Oxidizing Properties: | | Not available | | | | |
| Vapor Pressure: | | Not applicable | | | | |
| Vapor Density: | | Not applicable | | | | |
| Density / Specific Gravity: | | 1.4 - 1.8 | | | | |
| Water Solubility: | | Negligible | | | | |
| Fat Solubility: | | Partially soluble in toluene and xylene. | | | | |
| Partition Coefficient (n-Octar | nol/Water): | Not applicable | | | | |
| Percent Volatile: | | Negligible | | | | |
| Evaporation Rate: | | Not applicable | | | | |
| Viscosity (mPa s): | | Not applicable | | | | |

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

| SECTION 10 STABILITY AND | REACTIVITY | | | | |
|--|--|--|--|--|--|
| Stability: | ■ Stable □ Unstable | | | | |
| Conditions to Avoid: | None | | | | |
| Materials to Avoid: | Strong oxidizers | | | | |
| Hazardous Decomposition Products: | CO, CO2 | | | | |
| Hazardous Polymerization: | ☐ May Occur ☑ Will Not Occur | | | | |
| Conditions to Avoid: | None | | | | |
| SECTION 11 TOXICOLOGICA | AL INFORMATION | | | | |
| Acute Toxicity: Inhalation: Not available | | | | | |
| Ingestion: Estimate: Rat, LD50 > 2000 mg/ | kg (See Section 16) | | | | |
| Eye: Estimate: Rabbit, transient slight | conjunctival irritation only. (See Section 16) | | | | |
| Skin: Estimate: Rabbit, non-irritant (So | ee Section 16) | | | | |
| Sensitization: Estimate: Guinea pig, skin: Non- | sensitizing (See Section 16) | | | | |
| Mutagenicity: Estimate: Ames Test (S. typhimu | urium, E. coli): Negative (See Section 16) | | | | |
| Reproductive Toxicity: Not available | | | | | |
| Carcinogenicity: Not available | | | | | |
| Others: | | | | | |
| Chronic effects: Muhle et al. reported pulmonary | response upon chronic inhalation exposure in rats to a toner enriched in | | | | |

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

| SECTION 12 E | COLOG | ICAL INFORMATION | | | | | | | | | | |
|---|------------------------------|--|-----------|--|--|--|--|---------------|--------|-----------------|--|--|
| Mobility: | | Not available | | | | | | | | | | |
| Persistence / Degradability: Bioaccumulation: Ecotoxicity: Other Adverse Effects: | | Not available Not available Not available | | | | | | | | | | |
| | | | | | | | | Not available | | | | |
| | | | | | | | | SECTION 13 D | ISPOSA | L CONSIDERATION | | |
| | | container, unless d | ust-explo | container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws. | | | | | | | | |
| SECTION 14 T | RANSP | ORT INFORMATION | | | | | | | | | | |
| UN #: | 2807 | | | | | | | | | | | |
| UN Shipping Name: | Magnetiz | red material | | | | | | | | | | |
| UN Classification: | 9 | | | | | | | | | | | |
| UN Packing Group: | None | | | | | | | | | | | |
| | ☐ Yes ⋈ No | Chemical name (wt%): | | | | | | | | | | |
| Special Precautions: | 79 or mo | re of these products shipped together, by air, are regulated as magnetized material. | | | | | | | | | | |
| SECTION 15 R | EGULA | TORY INFORMATION | | | | | | | | | | |
| < EU Information > | | | | | | | | | | | | |
| Information on the Symbol & Indica | | ot required | | | | | | | | | | |
| R-Phrase: Not required | | | | | | | | | | | | |
| S-Phrase: Not required | | | | | | | | | | | | |
| Dangerous Comp None | ponent(s) |) : | | | | | | | | | | |
| Special Precaution Not required | ons unde | r 1999/45/EC Annex V: | | | | | | | | | | |
| • | in Relati Not regu | on to Protection of Man or the Environment: lated | | | | | | | | | | |
| (EC)2037/2000: | Not regu | lated | | | | | | | | | | |
| (EC)304/2003: | Not regu | lated | | | | | | | | | | |
| Others: | None | | | | | | | | | | | |
| < USA Information > | • | | | | | | | | | | | |
| Information on the | Label: | | | | | | | | | | | |
| Signal Word: | Not requ | ired | | | | | | | | | | |
| Hazard warning Not required | : | | | | | | | | | | | |

Page 6 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1014-0203 Product Code: 5773A / R94-5002

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version: Section 2, 3 and 11

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.