MSDS #: \_\_

Page 1 of 8 IC3717-0101

**T** Product Code: 6386B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier:** 

**Product Name:** Canon Ink Tank CLI-42 M

**Product Code:** 6386B

Relevant Identified Uses: Ink for Ink Jet Printer

**Details of Supplier of Safety Data Sheet:** 

Supplier: Canon Europa NV

Address: Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands

**Telephone Number:** +31 20 5458545, +31 20 5458222

E-mail Address: www.canon-europe.com, ceu-Reach@canon-europe.com

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 1

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

**Manufacturer:** Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

**Emergency Overview:** 

Ink tank containing magenta liquid ink with slight odor.

**US Regulatory Status under FHSA:** 

Not classified as hazardous.

**US Label Elements under FHSA:** 

**Signal Word:** Not required

Hazard Warning: Not required

Safety Advice: Not required

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

**R-Phrase:** Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3717-0101

Product Code: 6386B

#### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

**Ingredient(s):** 

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
	EC#		Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement*1	Hazards*
Ethylene urea	120-93-4 / 204-436-4	10 - 15	Xi / Irritant	R36	Eye Irrit. 2	H319	
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Pyridine Azo dye	Confidential	1 - 5	N / Dangerous for Environment	R51/53	Aquatic Chronic 2	H411	
Glycol	Confidential	5 - 10	None	None	None	None	
Glycol	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

<sup>\*1</sup> Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

#### Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

<sup>\*2</sup> The following substance(s) is (are) marked with (1), (2) and/or (3)

<sup>(1)</sup> Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

<sup>(2)</sup> PBT substance or vPvB substance under Regulation (EC) No 1907/2006

<sup>(3)</sup> Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006



MSDS #: \_ Product Code: Page 3 of 8 IC3717-0101

6386B

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Most Important Symptoms and Effects, both Acute and Delayed:

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

#### SECTION 5 FIRE FIGHTING MEASURES

#### **Extinguishing Media:**

#### **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

#### **Unsuitable Extinguishing Media:**

None

#### **Special Hazards:**

None

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

#### Advice for Fire-fighters:

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



Page 4 of 8 IC3717-0101

		MSDS #:	1C3/1/-010
MATERIAL SAFETY DA	TA SHEET	Product Code:	6386

SECTION 7 HANDLING AND STORAGE				
<b>Precautions for Safe Han</b>	dling:			
Use with adequate vent	ilation.			
Avoid contact with skin				
In case of contact, wash	out the contaminated a	rea immediately.		
<b>Conditions for Safe Stora</b>	ge, Including Any Inc	ompatibilities:		
Keep in a cool and dry j	place.			
Protect from sunlight.				
Keep out of the reach of	f children.			
Specific End Uses:				
Ink for Ink Jet Printer.				
For more information, r	olease refer to the instru	ction of this product	•	
SECTION 8 EXPO	SURE CONTROLS /	PERSONAL PROT	TECTION	
<b>Control Parameters:</b>	USA	ACGIH TLV	EU OEL	
	OSHA PEL			
Product (Ink)	Not established	Not established	Not established	
Glycerin	Glycerin mist:	Glycerin mist:	Not established	
Glyceliii	TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ (Respirable fraction)	TWA 10 mg/m <sup>3</sup>	1vot established	
Exposure Controls: Engineering Controls: Individual Protection		equipment is needed	d under intended use of	this product.
Eye/Face Protecti		Not Required		
Skin Protection:	•	Not Required		
		Not Required  Not Required		

MSDS #: \_\_\_\_

Product Code:

Page 5 of 8 IC3717-0101

6386B

SECTION 9 PHYSICAL AND CH	EMICAL PROPERTIES
Information on Basic Physical and Chem	ical Properties:
Appearance:	Magenta liquid
Odor:	Slight odor
pH:	7 - 9
Melting Point/Freezing Point (°C):	Not available
Initial Boiling Point and Boiling Range (°C):	Not available
Flash Point(°C):	None (Estimate)
Evaporation Rate:	Not available
Flammability:	Neither flammable nor combustible.
Upper/Lower Flammable or Explosive Limits:	None (Estimate)
Vapor Pressure :	Not available
Vapor Density:	Not available
Relative Density:	1.0 - 1.1
Water Solubility:	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water)	Not available
Auto-ignition Temperature ( ${}^{\circ}$ C):	None (Estimate)
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available
Viscosity (mPa s):	1 - 5
<b>Explosive Properties:</b>	None (Estimate)
Oxidizing Properties:	None (Estimate)
Other Information:	Not available
SECTION 10 STABILITY AND REA	ACTIVITY
Reactivity: Non	
Chemical Stability:	Stable Unstable
Possibility of Hazardous Reactions: Non	2
Conditions to Avoid: Non	
Incompatible Materials: Acid	s, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products: CO	CO. NOx and SOx

MSDS #: \_\_\_\_ Product Code:

IC3717-0101

6386B

Page 6 of 8

SECTION 11	TOXICOLOGICAL INFORMATION
Information on	Toxicological Effects:
Acute Toxici	ty:
Inhalation	

Not available Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5

**Sensitization:** 

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2010), (EC) No 440/2008 Method B42

**Repeated Dose Toxicity:** 

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

Not available

Other Information:

Not available

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: \_\_\_

Page 7 of 8 IC3717-0101

Product Code: 6386B

SECTION 12 ECOLOGICAL INFORMATION

**Toxicity:** Not available

**Persistence and Degradability:** Not available

**Bioaccumulative Potential:** Not available **Mobility in Soil:** Not available

**Results of PBT and vPvB** No results

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

SECTION 13 DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** 

**Other Adverse Effects:** 

Disposal should be subject to federal, state and local laws.

Not available

SECTION 14 TRANSPORT INFORMATION

UN Number: None

**UN Proper Shipping Name:** None

Transport Hazard Class: None

Packing Group: None

Environmental Hazards: Not classified as environmentally hazardous under UN Model Regulations and marine

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

**Restriction:** Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Others: This product contains a chemical substance which is being introduced under a Low Volume

Chemical Permit granted under section 21U(2) of the Industrial Chemicals (Notification and

Assessment) Act 1989.



MSDS #:

IC3717-0101

Page 8 of 8

Product Code: 6386B

#### SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R36: Irritating to eyes.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<EU Hazard statement according to (EC) No 1272/2008>

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

#### Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern
LABC: International Agency for Besserch on Con-

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA) ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.