MSDS #: \_

Page 1 of 8 IC3638-0101

Product Code: 6403B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier:** 

**Product Name:** Canon Ink Tank PGI-72 PBK

**Product Code:** 6403B

Relevant Identified Uses: Ink for Ink Jet Printer

**Details of Supplier of Safety Data Sheet:** 

Supplier: Canon Europa NV

Address: Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands

**Telephone Number:**\_+31 20 5458545, +31 20 5458222

E-mail Address: www.canon-europe.com, ceu-Reach@canon-europe.com

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

**Manufacturer:** Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

**Emergency Overview:** 

Ink tank containing black liquid ink with slight odor.

**US Regulatory Status under FHSA:** 

Not classified as hazardous.

**US Label Elements under FHSA:** 

**Signal Word:** Not required

Hazard Warning: Not required

Safety Advice: Not required

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

**R-Phrase:** Not required

S-Phrase: Not required

**Dangerous Component:** Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3638-0101

Product Code: 6403B

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

Ingredient(s):

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
	EC "		Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement*1	Hozorde*2
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Ethylene urea	120-93-4 / 204-436-4	1 - 5	Xi / Irritant	R36	Eye Irrit. 2	H319	
Carbon black	1333-86-4 / 215-609-9	1 - 5	None	None	None	None	(1)
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

<sup>\*1</sup> Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

# **Carcinogen(s):**

Chemical Name	CAS#	Reference
Carbon black	1333-86-4	IARC: Group 2B. NTP; OSHA; Part 3 of Annex VI to Regulation (EC) No 1272/2008: Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

<sup>\*2</sup> The following substance(s) is (are) marked with (1), (2) and/or (3)

<sup>(1)</sup> Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

<sup>(2)</sup> PBT substance or vPvB substance under Regulation (EC) No 1907/2006

<sup>(3)</sup> Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006



MSDS #: \_ Product Code: Page 3 of 8 IC3638-0101

6403B

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Most Important Symptoms and Effects, both Acute and Delayed:

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### Eye:

May cause minimal irritation. (See SECTION 11)

### **Chronic Effects:**

No adverse effects are expected under intended use of this product.

### Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

### SECTION 5 FIRE FIGHTING MEASURES

#### **Extinguishing Media:**

#### **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

### **Unsuitable Extinguishing Media:**

None

### **Special Hazards:**

None

#### **Hazardous Combustion Products:**

CO, CO2, NOx and SOx

#### **Advice for Fire-fighters:**

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



# MA

Page 4 of 8 IC3<u>638-0101</u> 03B

	MSDS #:	IC3638-0
ATERIAL SAFETY DATA SHEET	Product Code:	640

SECTION 7 HANDLING AND STORAGE					
	Precautions for Safe Handling:				
Use with adequate vent Avoid contact with skin					
	n, eyes and clottling. h out the contaminated a	rea immediately			
		•			
Conditions for Safe Stora Keep in a cool and dry		ompaubiliues:			
Protect from sunlight.	prace.				
Keep out of the reach of	of children				
	or children.				
Specific End Uses: Ink for Ink Jet Printer.					
	please refer to the instru	ction of this product			
Tor more imormation,	please feler to the mistru	ction of this product.			
SECTION 8 EXPO	OSURE CONTROLS /	PERSONAL PROT	ECTION		
Control Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL		
Product (Ink)	Not established	Not established	Not established		
1 roduct (mk)	1 vot established	Tvot established	rvot established		
Glycerin	Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established		
Carbon black	TWA 3.5 mg/m <sup>3</sup>	TWA 3 mg/m³ (Inhalable fraction)	Not established		
Individual Protection Eye/Face Protect Skin Protection:	ion: Required	☑ Not Required ☑ Not Required	under intended use of t	his product.	

MATERIAL SAFETY DATA SHEET Product Code:

MSDS #: \_

Page 5 of 8 IC3638-0101

6403B

SECTION 9 PHYSICAL AND CHE	CMICAL PROPERTIES		
Information on Basic Physical and Chemi	cal Properties:		
Appearance:	Black liquid		
Odor:	Slight odor		
pH:	8 - 10		
<b>Melting Point/Freezing Point</b> (°C):	Not available		
Initial Boiling Point and Boiling Range (°C):	Not available		
Flash Point(°C):	None (Estimate)		
Evaporation Rate:	Not available		
Flammability:	Neither flammable nor combustible.		
Upper/Lower Flammable or Explosive Limits:	None (Estimate)		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Relative Density:	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Auto-ignition Temperature (°C):	None (Estimate)		
<b>Decomposition Temperature(°C):</b>	Not available		
Viscosity (mPa s):	1 - 5		
<b>Explosive Properties:</b>	None (Estimate)		
Oxidizing Properties:	None (Estimate)		
Other Information:	Not available		
SECTION 10 STABILITY AND REACTIVITY			
Reactivity: None			
Chemical Stability:	able Unstable		
Possibility of Hazardous Reactions: None			
Conditions to Avoid: None			
Incompatible Materials: Acids	s, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products: CO (	CO NOv and SOv		



MSDS #: \_ Product Code: IC3638-0101

6403B

Page 6 of 8

# SECTION 11 TOXICOLOGICAL INFORMATION

**Information on Toxicological Effects:** 

**Acute Toxicity:** 

**Inhalation:** 

Not available

**Ingestion:** 

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5

**Sensitization:** 

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2010), (EC) No 440/2008 Method B42

**Repeated Dose Toxicity:** 

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

Not available

Other Information:

Not available

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #:

Page 7 of 8 IC3638-0101

Product Code: 6403B

**SECTION 12 ECOLOGICAL INFORMATION** 

**Toxicity:** Not available

Persistence and Degradability: Not available

**Bioaccumulative Potential:** Not available Not available

**Mobility in Soil:** 

Results of PBT and vPvB No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under **Assessment:** 

Regulation (EC) No 1907/2006.

**Other Adverse Effects:** Not available

**DISPOSAL CONSIDERATIONS SECTION 13** 

**Waste Treatment Methods:** 

Disposal should be subject to federal, state and local laws.

TRANSPORT INFORMATION **SECTION 14** 

**UN Number:** None

None **UN Proper Shipping Name:** 

**Transport Hazard Class:** None

None **Packing Group:** 

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:** 

pollutant under IMDG Code.

**Special Precautions for User:** None

REGULATORY INFORMATION **SECTION 15** 

< USA Information >

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

**Chemical Name** Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

**Restriction:** Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

**WHMIS Controlled Product:** Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.



MSDS #:

IC3638-0101

Page 8 of 8

Product Code: 6403B

#### SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R36: Irritating to eyes.

<EU Hazard statement according to (EC) No 1272/2008>

H319: Causes serious eye irritation.

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA) ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.