Canon

MATERIAL SAFETY DATA SHEET

Page 1 of 8 MSDS #: IC1068-0202 Product Code:

7	5	7	5	Å	١
	2	/	2	1	J

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product Name:	Canon Ink Tank BCI-1411C
Product Code:	7575A
Company Name:	Canon Europa N.V.
Address:	Bovenkerkerweg 59-61, 1185XB, Amstelveen, The Netherlands
Use of the Product:	Ink for Ink Jet Printer

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 2**

< Ingredient(s) >				JN ON INGRE			
Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Copper, [29H,31H-phthalocyaninato(2-)- N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-11-7 / 291-001-7	2 - 6	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Poly(oxy-1,2-ethanediyl), .alpha.,alpha.'-[1,4-dimethyl-1,4 -bis(2-methylpropyl)-2-butyne- 1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established



No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Combustible liquid and vapor.

Vapor or mist may cause respiratory tract, skin and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



7575A

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards: None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep away from heat and flame.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required



MATERIAL SAFETY DATA SHEET

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Cyan liquid	
Odor:	Slight odor	
pH:	9 - 10	
Boiling Point/Range(°C):	Not available	
Melting Point/Range(°C):	Not available	
Decomposition Temperature(°C):	Not available	
Flash Point(°C):	57.2 (Tag. Closed Cup. Combustion is not sustainable.)	
Flammable (Explosive) Limits:	Not available	
Autoignition Temperature(°C):	Not available	
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.	
Explosive Properties:	Estimate: None	
Oxidizing Properties:	Estimate: None	
Vapor Pressure :	Not available	
Vapor Density :	Not available	
Density / Specific Gravity:	1.0 - 1.1	
Water Solubility :	Miscible	
Fat Solubility :	Not available	
Partition Coefficient (n-Octanol/Water):	Not available	
Percent Volatile (%):	60 - 80	
Evaporation Rate:	Not available	
Viscosity (mPa s):	1-5	
SECTION 10 STABILITY AND R	EACTIVITY	
Stability:	X Stable □ Unstable	
Conditions to Avoid:	None	
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents	
Hazardous Decomposition Products:	CO, CO ₂ , NOx, SOx and Ammonia	

Conditions to Avoid:

Hazardous Polymerization:

May Occur Will Not Occur None



SECTION 11 TOXICOLOGICAL INFORMATION				
Acute Toxicity:				
Inhalation:				
Not available				
Ingestion:				
Not available				
Eye:				
Minimal irritant (rabbit)				
OECD Guidelines No.405 (1987)				
92/69/EEC Method B5				
Skin:				
Non-irritant (rabbit)				
OECD Guidelines No.404 (1992)				
92/69/EEC Method B4				
Sensitization:				
Non-sensitizer (guinea pig)				
OECD Guidelines No.406 (1992)				
96/54/EC Method B6				
Mutagenicity:				
Ames test: Negative (S. typhimurium & E. Coli)				
Reproductive Toxicity:				
Not available				
Carcinogenicity:				
Not available				
Others:				
Not available				



MATERIAL SAFETY DATA SHEET

Page 6 of 8 IC1068-0202 MSDS #:

7575A

	MATERIAL SAFETY DATA SH	EET Product Code:	7575A
SECTION 12 F	COLOGICAL INFORMATION		
Mobility:	Not available		
Persistence / Degradability:	Not available		
Bioaccumulation:	Not available		
Ecotoxicity:	Not available		
Other Adverse Effe	ts: Not available		
Method of Disposal:	DISPOSAL CONSIDERATIONS e subject to federal, state and local laws.		
SECTION 14 T	TRANSPORT INFORMATION		
UN #:	None		
UN Shipping Name:	None		
UN Classification:	None		
UN Packing Group:	None		
Marine Pollutant:	☐ Yes Chemical name (wt%): ➤ No		
Special Precautions:	None		
< EU Information >	REGULATORY INFORMATION		
Information on the l	Label:		
	tion: Not required		
R-Phrase: Not required			
S-Phrase: Not required			
Dangerous Com Not required	ponent(s):		
-	ons under 1999/45/EC Annex V: eet available for professional user on request.		
Specific Provisions in	n Relation to Protection of Man or the Environment:		
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EC)304/2003:	Not regulated		
Others:	None		



< USA Information > Information on the Label under OSE	A HCS:	
Signal Word: Not required		
Hazard warning: COMBUSTIBLE LIQUID AND VAPOR OR MIST MAY CAUSE	APOR. RESPIRATORY TRACT, SKIN AND EYE IRRITATION.	
Safety Advice: Not required		
Hazardous Component(s): Not required		
SARA Title III §313: Chemical Name	Weight %	
"Ethylene glycol" (107-21-1) "Copper Compounds" (as Cu)	2 - 6 2 - 6 (< 0.35)	
California Proposition 65: Chemical Name None	Weight %	
< Canada Information > WHMIS Controlled Product:	ot applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature: <u>N</u>	ot classified as hazardous according to criteria of NOHSC.	
SECTION 16OTHER INFORM <r list="" phrase="">R11: Highly flammable.R22: Harmful if swallowed.R36: Irritating to eyes.R41: Risk of serious damage to eyes.R67: Vapours may cause drowsiness</r>		

<Revised information from the previous version> Section 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 15



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.