Page 1 of 8

7576A



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-1411M

Product Code: 7576A

Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m³
Triazine derivative	Confidential	1 - 5	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m³
Poly(oxy-1,2-ethanediyl), .alpha.,alpha.'-[1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne- 1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing magenta liquid ink with slight odor.

Combustible liquid and vapor.

Vapor or mist may cause respiratory tract, skin and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eve:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Page 3 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

SECTION 5 FIRE FI	GHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or dr	y chemicals					
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Pr None	ocedures:					
Unusual Fire and Explo None	sion Hazards:					
Fire and Explosive Properti	es (See also Section 9):					
Hazardous Combustion						
CO, CO ₂ , NOx and SOx						
Other Properties:						
None						
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skin, eyes and clothing.						
Avoid breathing vapor and mist.						
Environmental Precautions						
	urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	paper.					
OF OFFICE AND	ING AND STORAGE					
SECTION 7 HANDL	ING AND STORAGE					
SECTION 7 HANDL Handling:	ING AND STORAGE					
Handling: Avoid breathing vapor and	1 mist.					
Handling: Avoid breathing vapor and Use with adequate ventila	d mist. tion.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e	1 mist.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage:	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight.	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer.	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer.	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ples	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame.					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ple	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product.					
Handling: Avoid breathing vapor and Use with adequate ventila: Avoid contact with skin, e Storage: Keep in a cool and dry pla: Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ple: SECTION 8 EXPOSE	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. URE CONTROLS / PERSONAL PROTECTION					
Handling: Avoid breathing vapor and Use with adequate ventilar Avoid contact with skin, e Storage: Keep in a cool and dry plar Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, please SECTION 8 EXPOSI Exposure Guidelines: Not established for this in Engineering Controls:	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. URE CONTROLS / PERSONAL PROTECTION					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, plea SECTION 8 EXPOSU Exposure Guidelines: Not established for this in	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. URE CONTROLS / PERSONAL PROTECTION					
Handling: Avoid breathing vapor and Use with adequate ventilat Avoid contact with skin, e Storage: Keep in a cool and dry plat Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, pleat SECTION 8 EXPOSE Exposure Guidelines: Not established for this in Engineering Controls: Use adequate ventilation. Personal Protection Equipm	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. JRE CONTROLS / PERSONAL PROTECTION k. (See also SECTION 2)					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ple: SECTION 8 EXPOSU Exposure Guidelines: Not established for this in Engineering Controls: Use adequate ventilation.	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. URE CONTROLS / PERSONAL PROTECTION k. (See also SECTION 2) nent(s): Required					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ple SECTION 8 EXPOSU Exposure Guidelines: Not established for this in Engineering Controls: Use adequate ventilation. Personal Protection Equipm Respiratory Protection:	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. JRE CONTROLS / PERSONAL PROTECTION k. (See also SECTION 2) ment(s): Required Not Required					
Handling: Avoid breathing vapor and Use with adequate ventilat Avoid contact with skin, e Storage: Keep in a cool and dry plat Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, pleat SECTION 8 EXPOSE Exposure Guidelines: Not established for this in Engineering Controls: Use adequate ventilation. Personal Protection Equipm	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. URE CONTROLS / PERSONAL PROTECTION k. (See also SECTION 2) nent(s): Required Not Required Required					
Handling: Avoid breathing vapor and Use with adequate ventila Avoid contact with skin, e Storage: Keep in a cool and dry pla Protect from sunlight. Keep away from heat and Specific Uses: Ink for Ink Jet Printer. For more information, ple SECTION 8 EXPOSU Exposure Guidelines: Not established for this in Engineering Controls: Use adequate ventilation. Personal Protection Equipm Respiratory Protection:	d mist. tion. yes and clothing. In case of contact, wash out the contaminated area immediately. ce. flame. ase refer to the instruction of this product. JRE CONTROLS / PERSONAL PROTECTION k. (See also SECTION 2) ment(s): Required Not Required					

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

SECTION 9 PHYSICAL AND CI	HEMICAL PROPERTIES			
Appearance:	Magenta liquid			
Odor:	Slight odor			
pH:	8 - 9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature(°C):	Not available			
Flash Point(°C):	Estimate: 57 - 59 (Tag. Closed Cup. Combustion is not sustainable.)			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.			
Explosive Properties:	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)	: Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND R	EACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx, SOx and Ammonia			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

[Data of similar composition ink]

Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

[Data of similar composition ink]

No greater than a mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

[Data of similar composition ink]

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Chromosome aberration test: Negative (Human peripheral blood lymphocytes)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

SECTION 12	ECOLOGICAL INFORMATION					
Mobility:	Not available					
Persistence / Degradability:	Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Not available					
Other Adverse Effe	ects: Not available					
SECTION 13	DISPOSAL CONSIDERATIONS					
Method of Disposal Disposal should	l: be subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION					
UN #:	None					
UN Shipping Name	None None					
UN Classification:	None					
UN Packing Group	None					
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No					
Special Precautions	None None					
SECTION 15 < EU Information >	REGULATORY INFORMATION					
Information on the	Label:					
Symbol & Indication: Not required						
R-Phrase:						
Not required						
S-Phrase:						
Not required						
Dangerous Con Not required						
-	tions under 1999/45/EC Annex V:					
Safety data sheet available for professional user on request.						
	1					
Specific Provisions	in Relation to Protection of Man or the Environment:					
Specific Provisions 76/769/EEC:	· •					
-	in Relation to Protection of Man or the Environment: Not regulated					
76/769/EEC:	in Relation to Protection of Man or the Environment: Not regulated					
76/769/EEC: (EC)2037/2000	in Relation to Protection of Man or the Environment: Not regulated Not regulated					

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

COMBUSTIBLE LIQUID AND VAPOR.

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT, SKIN AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 2 - 6

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Section 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1069-0303
Product Code: 7576A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.