Page 1 of 8



MATERIAL SAFETY DATA SHEET

IC1177-0202 MSDS #: 8191A

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Canon Ink Tank BCI-15 Color **Product Name:**

8191A **Product Code:**

Company Name: Canon Europa N.V.

Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherland Address:

Use of the Product: Ink for Ink Jet Printer

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 2**

< Ingredient(s) >	CAS#/	Waight	FII Cymrh al/	T I C A	ACCIII TI X	17,11111 7	DEC MAIL
Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Copper, [29H,31H-phthalocyaninato(2-)- N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	2 - 6	Xi / R41	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m³
Quinoline derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triazine derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Lactam (Contained in cyan and yellow ink)	Confidential	< 6	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established



MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

A set of three colors ink tanks. (Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eve:

May cause minimal irritation. (See SECTION 11)

Skin.

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

SECTION 5 FIRE FI	GHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or d	ry chemicals					
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Procedures: None						
Unusual Fire and Explo None	sion Hazards:					
Fire and Explosive Properti	es (See also Section 9):					
Hazardous Combustion	Hazardous Combustion Products:					
CO, CO ₂ and NOx						
Other Properties:						
None						
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES					
Personal Precautions: Avoid contact with skin, e	ves and clothing					
Environmental Precautions	-					
	· urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	· paper.					
SECTION 7 HANDL	ING AND STORAGE					
Handling:						
	Use with adequate ventilation.					
	Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.					
	the containmated area infinediatery.					
Storage: Keen in a cool and dry pla	ce. Keep away from heat and flame.					
Protect from sunlight.						
Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, ple	ase refer to the instruction of this product.					
SECTION 8 EXPOSE	JRE CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines:						
Not established for this in	k. (See also SECTION 2)					
Engineering Controls:						
Use adequate ventilation.						
Personal Protection Equipm						
Respiratory Protection:						
10 /10 75 / · ·	Not Required					
Eye/Face Protection:	Required					
	Not Required					
Skin Protection:	Required Not Required					
	Not Required					

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

SECTION 9 PHYSICAL AND CI	HEMICAL PROPERTIES				
Appearance:	Cyan, magenta and yellow liquid				
Odor:	Slight odor				
pH:	8.0 - 10.0				
Boiling Point/Range(°C):	Not available				
Melting Point/Range(°C):	Not available				
Decomposition Temperature(°C):	Not available				
Flash Point(°C):	Estimate: 55 - 57 (Tag.Closed Cup. Combustion is not sustainable.)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature(°C):	Not available				
Flammability:	Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.				
Explosive Properties:	None				
Oxidizing Properties:	None				
Vapor Pressure:	Not available				
Vapor Density:	Not available				
Density / Specific Gravity:	1.04 - 1.10				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water)	: Not available				
Percent Volatile (%):	60 - 80				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1.9 - 2.6				
SECTION 10 STABILITY AND R	EACTIVITY				
Stability:					
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO ₂ , NOx and Ammonia				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Cyan and Magenta: [Data of similar composition ink] Estimated LD₅₀ > 2500 mg/kg (rat)

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris Yellow : Not available

Eye:

Yellow: Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit) Cyan and Magenta: [Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Yellow: Mild irritant, Primary Irritation Index = 0.2 (rabbit)

Cyan and Magenta: [Data of similar composition ink] Mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Yellow: Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

Cyan and Magenta: [Data of similar composition ink] Non sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test:

All colors : Negative (test strains: S.typhimurium & E.Coli)

Chromosome aberration test:

Magenta: Negative (test strains: *Human peripheral blood lymphocytes*)

Cyan and Yellow: Not available

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

SECTION 12	ECOLOGICAL INFORMATION						
Mobility:	Not available						
Persistence / Degradability:	Not available						
Bioaccumulation:	Not available						
Ecotoxicity:	Not available						
Other Adverse Effe	Not available						
	DISPOSAL CONSIDERATION						
Method of Disposal Disposal should be	: be subject to federal, state and local laws.						
SECTION 14	FRANSPORT INFORMATION						
UN #:	None						
UN Shipping Name	: None						
UN Classification:	None						
UN Packing Group	None						
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No						
Special Precautions	: None						
SECTION 15 SECTION 25 SECTI	REGULATORY INFORMATION						
Information on the							
•	ation: Not required						
R-Phrase: Not required							
S-Phrase: Not required							
Dangerous Com None	nponent(s):						
Special Precaut Not required	ions under 1999/45/EC Annex V:						
Specific Provisions i	n Relation to Protection of Man or the Environment:						
76/769/EEC:	Not regulated						
(EC)2037/2000:	Not regulated						
(EC)304/2003:	Not regulated						
Others:	None						

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

 Chemical Name
 Weight %

 "Ethylene glycol" (107-21-1) (Contained in cyan and magenta ink)
 2 - 6

 "Copper Compounds" (Contained only in cyan ink)
 2 - 6

 (as Cu)
 (< 0.35)</td>

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Section 2, 3, 4, 7, 8, 11 and 13



MATERIAL SAFETY DATA SHEET

MSDS #: IC1177-0202
Product Code: 8191A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.