Page 1 of 8

8370A

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-1421Y

Product Code: 8370A

Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

ECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS							
Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established	
Ethylene glycol	107-21-1 / 203-473-3	1 - 5	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³	
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established	

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing yellow liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eve:

No irritation is expected. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Page 3 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

SECTION 5 FIRE FIGHTING M	EASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or dry chemicals						
Unsuitable Extinguishing Media: None						
Special Fire Fighting Procedures: None						
Unusual Fire and Explosion Hazard None	3 :					
Fire and Explosive Properties (See also S	Section 9):					
Hazardous Combustion Products:						
CO, CO ₂ , NOx and SOx						
Other Properties: None						
SECTION 6 ACCIDENTAL REL	EASE MEASURES					
Personal Precautions:						
Avoid contact with skin, eyes and cloth	ng.					
	Avoid breathing vapor and mist.					
Environmental Precautions:						
Do not release to sewer, surface water	or ground water.					
Method for Cleaning Up: Wipe off with wet cloth or paper.						
wine off with wet cloth or paper.						
···						
SECTION 7 HANDLING AND S	TORAGE					
	ΓORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist.	TORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.						
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.	TORAGE ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage:						
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and cloth: Storage: Keep in a cool and dry place.						
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight.						
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses:						
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer.	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product.					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothe Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTINUATION SET SECTION SECURIES CONTINUATION SECURIES CONTINUA	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and cloth: Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTILE Exposure Guidelines: Not established for this ink. (See also See Engineering Controls:	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION ECTION 2)					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTI Exposure Guidelines: Not established for this ink. (See also Stengineering Controls: Use adequate ventilation. Personal Protection Equipment(s): Respiratory Protection: Required Not Required Eye/Face Protection: Required	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION ECTION 2)					
SECTION 7 HANDLING AND ST Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother Storage: Keep in a cool and dry place. Protect from sunlight. Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the SECTION 8 EXPOSURE CONTI Exposure Guidelines: Not established for this ink. (See also Stengineering Controls: Use adequate ventilation. Personal Protection Equipment(s): Respiratory Protection: Required Not Required	ng. In case of contact, wash out the contaminated area immediately. e instruction of this product. ROLS / PERSONAL PROTECTION ECTION 2)					

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

SECTION 9 PHYSICAL AND C	CHEMICAL PROPERTIES			
Appearance:	Yellow liquid			
Odor:	Slight odor			
pH:	ca. 9			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature(°C):	Not available			
Flash Point(°C):	Estimate: None			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Neither flammable nor combustible.			
Explosive Properties:	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility :	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water): Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND I	REACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

[Data of similar composition ink]

Considered to be "not irritating" based on the classification criteria under 2001/59/EC (rabbit)

OECD Guidelines No.405 (2002), 92/69/EEC Method B5

Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 92/69/EEC Method B4

Sensitization:

[Data of similar composition ink]

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992), 96/54/EC Method B6

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

SECTION 12	ECOLOGICAL INFORMATION					
Mobility:	Not available					
Persistence / Degradability:	Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Not available					
Other Adverse Effe	ects: Not available					
	DISPOSAL CONSIDERATIONS					
Method of Disposa						
Disposai snouid	be subject to federal, state and local laws.					
SECTION 14	TRANSPORT INFORMATION					
UN #:	None					
UN Shipping Name	None None					
UN Classification:	None					
UN Packing Group	None					
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No					
Special Precautions	s: None					
SECTION 15 < EU Information >	REGULATORY INFORMATION					
Information on the	Label:					
Symbol & Indi	cation: Not required					
R-Phrase:	<u> </u>					
Not required						
S-Phrase: Not required						
Dangerous Cor Not required						
-	tions under 1999/45/EC Annex V: heet available for professional user on request.					
	in Relation to Protection of Man or the Environment:					
76/769/EEC:	Not regulated					
(EC)2037/2000						
(EC)304/2003:	-					
Others:	None					

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT, SKIN AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)1 - 5

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

<Revised information from the previous version>

Section 1, 2, 5, 9, 10, 11 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1278-0403
Product Code: 8370A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.