Page 1 of 8

8372A

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank BCI-1421PM

**Product Code:** 8372A

**Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS							
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established	
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>	
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established	
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established	

Page 2 of 8



#### MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing magenta liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None

Page 3 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

SECTION 5 FIRE FIGHTING M	EASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO <sub>2</sub> , water, foam or dry chemicals						
Unsuitable Extinguishing Media: None						
<b>Special Fire Fighting Procedures:</b> None						
Unusual Fire and Explosion Hazard None	3 <b>:</b>					
Fire and Explosive Properties (See also S	Section 9):					
Hazardous Combustion Products:						
CO, CO <sub>2</sub> , NOx and SOx						
Other Properties: None						
SECTION 6 ACCIDENTAL REL	EASE MEASURES					
Personal Precautions:						
Avoid contact with skin, eyes and cloth	ng.					
Avoid breathing vapor and mist.						
Environmental Precautions:						
Do not release to sewer, surface water	or ground water.					
Method for Cleaning Up: Wipe off with wet cloth or paper.						
wine off with wet cloth or paper.						
···						
SECTION 7 HANDLING AND S	TORAGE					
	ΓORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist.	TORAGE					
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.						
SECTION 7 HANDLING AND S' Handling: Avoid breathing vapor and mist. Use with adequate ventilation.	TORAGE  ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:						
SECTION 7 HANDLING AND ST  Handling: Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and cloth:  Storage: Keep in a cool and dry place.						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:						
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the  SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately.					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clothe  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to th  SECTION 8 EXPOSURE CONTI	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist. Use with adequate ventilation. Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place. Protect from sunlight.  Specific Uses: Ink for Ink Jet Printer. For more information, please refer to the  SECTION 8 EXPOSURE CONTINUATION SET SECTION SECURIES CONTINUATION SECURIES CONTINUA	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION					
SECTION 7 HANDLING AND ST  Handling:    Avoid breathing vapor and mist.    Use with adequate ventilation.    Avoid contact with skin, eyes and cloth:  Storage:    Keep in a cool and dry place.    Protect from sunlight.  Specific Uses:    Ink for Ink Jet Printer.    For more information, please refer to the  SECTION 8 EXPOSURE CONTILE  Exposure Guidelines:    Not established for this ink. (See also See Engineering Controls:	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the  SECTION 8 EXPOSURE CONTI  Exposure Guidelines:  Not established for this ink. (See also Stengineering Controls:  Use adequate ventilation.  Personal Protection Equipment(s):  Respiratory Protection:  Required  Not Required  Eye/Face Protection:  Required	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					
SECTION 7 HANDLING AND ST  Handling:  Avoid breathing vapor and mist.  Use with adequate ventilation.  Avoid contact with skin, eyes and clother  Storage:  Keep in a cool and dry place.  Protect from sunlight.  Specific Uses:  Ink for Ink Jet Printer.  For more information, please refer to the  SECTION 8 EXPOSURE CONTI  Exposure Guidelines:  Not established for this ink. (See also Stengineering Controls:  Use adequate ventilation.  Personal Protection Equipment(s):  Respiratory Protection:   Required  Not Required	ng. In case of contact, wash out the contaminated area immediately.  e instruction of this product.  ROLS / PERSONAL PROTECTION  ECTION 2)					

Page 4 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES		
Appearance:	Magenta liquid		
Odor:	Slight odor		
pH:	8 - 10		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
<b>Decomposition Temperature(°C):</b>	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water)	: Not available		
Percent Volatile (%):	60 - 80		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND R	FACTIVITY		
Stability:	■ Stable		
Stability.	☐ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		
Conditions to Avoid:	NOIIC		

Page 5 of 8



Not available

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

SECTION 11 TOXICOLOGICAL INFORMATION			
Acute Toxicity:			
Inhalation:			
Not available			
Ingestion:			
Not available			
Eye:			
Minimal irritant (rabbit)			
OECD Guidelines No.405 (1987), 92/69/EEC Method B5			
Skin:			
Non-irritant (rabbit)			
OECD Guidelines No.404 (1992), 92/69/EEC Method B4			
Sensitization:			
Non-sensitizer (guinea pig)			
OECD Guidelines No.406 (1992), 96/54/EC Method B6			
Mutagenicity:			
Ames test: Negative (S. typhimurium & E. Coli)			
Reproductive Toxicity:			
Not available			
Carcinogenicity:			
Not available			
Others:			

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

SECTION 12 H	CCOLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
<b>Ecotoxicity:</b>	Not available				
Other Adverse Effe	cts: Not available				
Method of Disposal:	DISPOSAL CONSIDERATIONS : the subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
<b>UN Shipping Name:</b>	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No				
Special Precautions: None					
SECTION 15 F < EU Information >	REGULATORY INFORMATION				
Information on the l	Label:				
	ation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Not required	ponent(s):				
-	ions under 1999/45/EC Annex V: eet available for professional user on request.				
Specific Provisions in	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT, SKIN AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

### SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

<Revised information from the previous version>

Section 1, 2, 5, 9, 10, 11 and 15



#### MATERIAL SAFETY DATA SHEET

MSDS #: IC1280-0303
Product Code: 8372A

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.