Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Cartridge 707 Cyan for Laser Beam Printer

Product Code: 9423A / R84-8023
Company Name: Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185XB, Amstelveen, The Netherlands

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-15	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	1-5	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20mppcf, 80(mg/m ³)/%SiO ₂	10 mg/m³ (TWA)	Not established	4 mg/m ³ (Inhalable fraction)

< Carcinogen >

Chemical Name CAS# Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Cyan fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

SECTION 8 EXPOSURE	CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines:						
USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)						
Engineering Controls: Use adequate ventilation.						
Personal Protection Equipment(s	s):					
Respiratory Protection: R	Required Not Required					
Eye/Face Protection: ☐ Required ☑ Not Required						
	ection: Required Not Required					
SECTION 9 PHYSICAL A	AND CHEMICAL PROPERTIES					
Appearance:	Cyan fine powder					
Odor:	Slight plastic odor					
pH:	Not applicable					
Boiling Point/Range(°C):	Not applicable					
Melting Point/Range(°C):	100-150 (Softening point)					
Decomposition Temperature(°C)	: > 200					
Flash Point(°C):	Not applicable					
Flammable (Explosive) Limits:	Not applicable					
Autoignition Temperature(°C):	Not available					
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))					
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.					
Oxidizing Properties:	Not available					
Vapor Pressure:	Not applicable					
Vapor Density:	Not applicable					
Density / Specific Gravity:	1.0-1.2					
Water Solubility:	Negligible					
Fat Solubility:	Partially soluble in toluene and xylene.					
Partition Coefficient (n-Octanol/	Water): Not applicable					
Percent Volatile:	Negligible					
Evaporation Rate:	Not applicable					
Viscosity (mPa s):	Not applicable					

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

SECTION 10 STABILITY AND	REACTIVITY				
Stability:	Stable Unstable Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Products:	CO, CO2				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICA	AL INFORMATION				
Acute Toxicity: Inhalation: Not available					
Ingestion: Estimate: Rat, LD50 > 2000 mg/	'kg (See Section 16)				
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only. (See Section 16)				
Skin: Estimate: Rabbit, non-irritant (So	ee Section 16)				
Sensitization: Not available					
Mutagenicity: Estimate: Ames Test (S. typhimu	urium, E. coli): Negative (See Section 16)				
Reproductive Toxicity: Not available					
Carcinogenicity: Not available					

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

SECTION 12 E	COLOG	ICAL INFORMATION
Mobility:		Not available
Persistence / Degradability:		Not available
Bioaccumulation:		Not available
Ecotoxicity:		Not available
Other Adverse Effects:		Not available
SECTION 13 D	ISPOSA	L CONSIDERATIONS
	131 OSA	L CONSIDERATIONS
container, unless d	lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws.
SECTION 14 T	RANSPO	ORT INFORMATION
UN #:	None	
UN Shipping Name:	None	
UN Classification:	None	
UN Packing Group:	None	
	☐ Yes ☑ No	Chemical name (wt%):
Special Precautions:	None	
SECTION 15 R	EGULA	TORY INFORMATION
< EU Information >		
Information on the	Label:	
Symbol & Indica	ation: No	ot required
R-Phrase:		
Not required		
S-Phrase: Not required		
Dangerous Comp	ponent(s)):
Special Precaution Not required	ons under	r 1999/45/EC Annex V:
•	in Relati Not regu	on to Protection of Man or the Environment: lated
(EC)2037/2000:	Not regu	lated
(EC)304/2003:	Not regul	lated
Others:	None	
< USA Information >	>	
Information on the	Label:	
Signal Word:	Not requ	ired
Hazard warning Not required	:	



MATERIAL SAFETY DATA SHEET

MSDS #: TC1333-0201 Product Code: 9423A / R84-8023

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product. Revised information from the previous version: Section 11

Literature Reference

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.