

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

HP Color LaserJet CE410A-X-XC-XD Black Print Cartridge

designation of the mixture

**Registration number** 

**Synonyms** None.

**Issue date** 18-Sep-2014

**Version number** 01

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a black toner preparation that is used in HP LaserJet Pro 300 color M351/ HF

LaserJet Pro 400 color M451/ HP LaserJet Pro 300 color MFP M375/ HP LaserJet Pro 400 color MFP

M475 series printers.

Uses advised against None known.

**Company identification** Hewlett-Packard, Ltd.

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 44 (0) 879 013 0790

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inguiries@hp.com Poison Information Center 0207771 5307

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

**Hazard summary** 

**Physical hazards** Not classified for physical hazards. **Health hazards** Not classified as a health hazard.

**Environmental hazards** Not classified for hazards to the environment.

Specific hazards Not available. Main symptoms Not available.

2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

None.

**Contains:** Amorphous silica, Carbon black, Styrene acrylate copolymer, Wax

**Hazard pictograms** None. Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Not available. Response Not available. **Storage** Not available. **Disposal** Not available.

Supplemental label

information

Material name: CE410A-X-XC-XD SDS UK

Version No.: 01 Print date: 18-Sep-2014

1/8

#### 2.3. Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

**Chemical name** % CAS-No. / EC No. REACH Registration No. Index No. **Notes** Styrene acrylate copolymer - < 85 Trade Secret **Classification:** DSD: -CLP: -Carbon black - < 10 1333-86-4 01-2119384822-32-XXXX 215-609-9 Classification: DSD: -CLP: -Wax - < 10 Trade Secret **Classification:** DSD: -CLP: -Amorphous silica < 3 7631-86-9 231-545-4

### **SECTION 4: First aid measures**

**Classification:** 

**General information** Not available.

DSD: -CLP:

# 4.1. Description of first aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

> physician. Not available.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any

immediate medical attention and special treatment

needed

Not available.

# **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Material name: CE410A-X-XC-XD Version No.: 01 Print date: 18-Sep-2014 2/8 5.2. Special hazards arising

from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

**Specific methods** None established.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

6.2. Environmental

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

precautions

considerations.

6.3. Methods and material for containment and cleaning up

Not available.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers.

Store at room temperature.

7.2. Conditions for safe storage, including any incompatibilities

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Occupational exposure limits**

<b>UK. EH40 W</b>	orkplace	Exposure	Limits	(WELs)
-------------------	----------	----------	--------	--------

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
,	TWA	3.5 mg/m3	
ological limit values	No biological exposure limits noted for the ingredient(s).		

Bio

**Recommended monitoring** 

Not available.

procedures **Derived no-effect level** 

(DNEL) **Predicted no effect**  Not available. Not available.

concentrations (PNECs)

**Exposure guidelines** 

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering controls

Use in a well ventilated area.

SDS UK Version No.: 01 Print date: 18-Sep-2014 3/8

Material name: CE410A-X-XC-XD

### Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

**Eye/face protection** Not available.

Skin protection

Hand protection
 Other
 Respiratory protection
 Thermal hazards
 Hygiene measures
 Environmental exposure
 Not available.
 Not available.
 Not available.

controls

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Fine powder
Physical state Solid.
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and Not applicable

boiling range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressureNot applicableVapor densityNot applicableRelative densityNot available.

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Solubility (other)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

**Viscosity** Not applicable **Explosive properties** Not available.

Oxidizing properties No information available.

9.2. Other information

**Percent volatile** 0 % estimated

**Softening point** 176 - 266 °F (80 - 130 °C)

**Specific gravity** 1 - 1.2 (H2O = 1)

### SECTION 10: Stability and reactivity

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

**10.4. Conditions to avoid** Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

Material name: CE410A-X-XC-XD

SDS UK

10.6. Hazardous decomposition products Carbon monoxide and carbon dioxide.

### **SECTION 11: Toxicological information**

**General information** Not available.

11.1. Information on toxicological effects

Skin corrosion/irritation

Not available.

Serious eye damage/eye irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

**Respiratory sensitization** 

Not available.

Skin sensitization

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

**Aspiration hazard** Not available.

**Species Test Results** Components

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50 Mouse > 15000 mg/kg

Rat > 22500 mg/kg

Carbon black (CAS 1333-86-4)

**Acute** 

Oral

LD50

Rat > 8000 mg/kg

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**SECTION 12: Ecological information** 

**Aquatic toxicity** Not available

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

**Product Test Results Species** 

CF410A-X-XC-XD

**Aquatic** 

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

Not available.

potential

**Partition coefficient** 

n-octanol/water (log Kow)

Material name: CE410A-X-XC-XD

Not available.

**Bioconcentration factor (BCF)** Not available.

5/8

Version No.: 01 Print date: 18-Sep-2014

12.4. Mobility in soil Not available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects This product has not been tested for ecological effects.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available. Not available. Contaminated packaging **EU** waste code Not available.

**Disposal** 

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely methods/information dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

Annex II of MARPOL 73/78

Transport in bulk according to This substance/mixture is not intended to be transported in bulk.

and the IBC Code

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Material name: CE410A-X-XC-XD SDS UK

### Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

### Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

**National regulations** 

Other regulations

15.2. Chemical safety assessment

Not available. Not available.

## **SECTION 16: Other information**

References Not available. Information on evaluation Not available.

method leading to the classification of mixture

Full text of any statements or None.

**R-phrases and H-statements** under Sections 2 to 15

**Revision information** 

1. Product and Company Identification: Alternate Trade Names

9. Physical & Chemical Properties: Multiple Properties

**Training information** Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Issue date** 18-Sep-2014

**Manufacturer information** Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

SDS UK Version No.: 01 Print date: 18-Sep-2014 7/8

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: CE410A-X-XC-XD SDS UK Version No.: 01 Print date: 18-Sep-2014