

# SAFETY DATA SHEET

### 1. Identification

Product identifier	HP Color LaserJet CF380A-X-XC-XD Black Print Cartridge
Other means of identification	Not available.
Recommended use	This product is a black toner preparation that is used in HP Color LaserJet Pro MFP M476 series printers.
<b>Recommended restrictions</b>	None known.
Issue date	19-Nov-2014
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line
	(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

### 2. Hazard(s) identification

	-	
Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
	Carcinogenicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 1 (lung)
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Not available.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.	
Supplemental information	None.	

### 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Carbon black		1333-86-4	<10

Chemical name	Common name and synonyms	CAS number	%
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3

4. First-aid measures	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

### 5. Fire-fighting measures

Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

## 6. Accidental release measures

6. Accidental release measures			
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.		
Methods and materials for containment and cleaning up	Not available.		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		
7. Handling and storage			
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.		
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.		

## 8. Exposure controls/personal protection

upational exposure limits US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)				
Components	Туре	Value		
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3		
US. ACGIH Threshold Limit V Components	alues Type	Value	Form	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.	

US. NIOSH: Pocket Guide to Components	Туре	1	Value
Amorphous silica (CAS 7631-86-9)	TWA		6 mg/m3
Carbon black (CAS 1333-86-4)	TWA		0.1 mg/m3
Biological limit values	No biological expos	ure limits noted for the ingred	ient(s).
xposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV):	10 mg/m3 (Inhalable Particul	ate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: I mg/m3	JSA OSHA (TWA/PEL): 20 mp	opcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion		
	UK WEL: 10 mg/m3	(Respirable Dust), 5 mg/m3	(Inhalable Dust)
Appropriate engineering controls	Use in a well ventila	ted area.	
ndividual protection measures	-	protective equipment	
Eye/face protection	Not available.		
Skin protection			
Hand protection	Not available.		
Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		
9. Physical and chemical <b>J</b>	properties		
Appearance	Fine powder		
Physical state	Solid.		
Color	Black.		
Ddor	Slight plastic odor		
Ddor threshold	Not available.		
ЭН	Not applicable		
Aelting point/freezing point	Not available.		
	Not applicable		
lash point	Not applicable		
•	Not applicable		
-	Not available.		
Jpper/lower flammability or ex			
Flammability limit - lower (%)	-		
	Not available.		
	Not available.		
	Not available.		
/apor pressure	Not applicable		
Solubility(ies)			
	Negligible in water.	Partially soluble in toluene ar	nd xylene.
Partition coefficient	Not available.		

Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2 (H2O = 1)

# 10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological ef	ifects		
Acute toxicity			
Skin corrosion/irritation	Not available.		
Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.		
Respiratory or skin sensitization	on de la constante de la const		
Respiratory sensitization	Not available.		
Skin sensitization	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)		
Carcinogenicity	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Carbon black (CAS 1333-8	36-4) 2B Possibly carcinogenic to humans.		
Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).		
Specific target organ toxicity - single exposure	Not available.		
Specific target organ toxicity - repeated exposure	Not available.		
Aspiration hazard	Not available.		
Chronic effects	No information available.		
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

Components	Species	Test Results
Amorphous silica (CAS 7631-86-9)		
Acute		
Oral		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg
Carbon black (CAS 1333-86-4)		
Acute		
Oral		
LD50	Rat	> 8000 mg/kg
12. Ecological information	n	
Aquatic toxicity	Not available	
Ecotoxicity	LC50: > 100 mg/l, Fish, 96.00	Hours
Product	Species	Test Results
CF380A-X-XC-XD		
Aquatic		
-	LC50 Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.	
Bioaccumulative potential	Not available.	
Mobility in soil	Not available.	
Other adverse effects	This product has not been test	ed for ecological effects.
13. Disposal consideration		
-		mlass dust symbolism management are taken. Finally
Disposal instructions		Inless dust-explosion prevention measures are taken. Finely xplosive mixtures in air. Dispose of in compliance with federal, state
	HP original inkjet and LaserJet	k) supplies recycling program enables simple, convenient recycling supplies. For more information and to determine if this service is se visit http://www.hp.com/recycle.
14. Transport informatio	n	
Further information	Not a dangerous good under D	OT, IATA, ADR, IMDG, or RID.
15. Regulatory informati	on	
US federal regulations	US EPA TSCA Inventory: All ch under TSCA.	nemical substances in this product comply with all rules or orders
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	ıbpt. D)
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed. SARA 304 Emergency relea		
Not regulated.		
OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.	1001-1050)
Superfund Amendments and R	eauthorization Act of 1986 (	SARA)
Hazard categories	Immediate Hazard - Yes	
-	Delayed Hazard - Yes	
	Fire Hazard - No Pressure Hazard - No	
	Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely haza	-	

No

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

#### US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

#### **US.** California Proposition 65

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

**Regulatory information** 

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	19-Nov-2014 09-Dec-2014 02
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds